



# Einhell

CORDLESS EXCELLENCE.

POWER X-CHANGE



**EINHELL. CORDLESS EXCELLENCE.**  
THE BATTERY SYSTEM FOR CORDLESS FREEDOM FOR POWER TOOLS AND GARDEN.

**POWER X-CHANGE**

<b>Power X-Change</b>	<b>3</b>	Cordless Hot Air Gun	44	Cordless Grout Cleaner	82
<b>The Einhell Guarantee Promise</b>	<b>10</b>	Cordless Nailer	45	Cordless Surface Brush	83
<b>Power Tools</b>	<b>11</b>	USB Battery Adapter	45	Cordless Hedge Trimmers	84
Cordless Drills	12	Cordless Lights	46	Cordless Multifunctional Tools	88
Cordless Impact Drills	17	Cordless Radio	48	Cordless Pole-Mounted Pruners	90
Cordless Impact Wrenches	20	Cordless Speaker	48	Cordless Telescopic Hedge Trimmers	91
Cordless Impact Drivers	21	Accessories – Cases // Bag	49	Cordless Chainsaws	92
Cordless Drywall Screwdriver	22	System Cases E-Case	50	Cordless Chain Sharpener	94
Cordless Impact Drill	23	Cordless Wet and Dry Vacuum Cleaners	52	Cordless Leaf Vacuums	95
Cordless Rotary Hammers	24	Cordless Stick Vac Cleaner	54	Cordless Leaf Blowers	96
Cordless Paint/Mortar Mixer	26	Cordless Handheld Vacuum Cleaner	56	Cordless Universal Blower	98
Cordless Angle Grinders	27	Cordless Ash Vacuum Cleaner	56	Cordless Pruning Saw	99
Cordless Planer	31	Cordless Push Sweeper	57	Cordless Pruning Shears	99
Cordless Mini Circular Saw	31	6-in-1 Cordless Hybrid Compressor	58	Cordless Grass and Shrub Shears	100
Cordless Circular Saws	32	Cordless Compressor	58	Cordless Grass Shears	101
Cordless Jigsaws	33	Cordless Car Compressor	59	Cordless Pressure Sprayers	102
Cordless All Purpose Saws	34	Cordless Air Pump	59	Battery Belt	103
Cordless Sliding Mitre Saw	36	<b>Garden Tools</b>	<b>60</b>	Cordless Garden Pump	104
Cordless Mitre Saw	36	Robot Lawn Mowers	60	Cordless Submersible/Rain Barrel Pump	104
Cordless Table Saw	37	Cordless Lawn Mowers	64	Cordless Clear Water Pumps	105
Cordless Tile Cutting Machine	37	Cordless Push Reel Mower	71	Gas Hot Air Generator with Rechargeable Battery	106
Cordless Multifunctional Tools	38	Petrol Lawn Mower (Power X-Change Electric Start)	72	E-Kickscooter ELMOTO KICK	107
Cordless Rotating Sander	39	Cordless Scarifiers/Aerators	73	<b>Accessories</b>	<b>108</b>
Cordless Multi Sander	39	Cordless Universal Spreader	74	Batteries	108
Cordless Orbital Sanders	40	Cordless Tillers	75	Twin Packs	110
Cordless Drywall Polisher	41	Cordless Earth Auger	76	Starter Kits	111
Cordless Car Polishing Machine	42	Cordless Snow Thrower	76	Chargers	112
Cordless Polishing/Sanding Machine	42	Cordless Scythes	77	<b>Service</b>	<b>116</b>
Cordless Blower	43	Cordless Lawn Trimmers	78		
Cordless Paint Spray System	43	Cordless Lawn Edge Trimmer	82		
Cordless Hot Glue Gun	44				

**POWER X-CHANGE**

**1 BATTERY.  
FOR OVER 200 TOOLS.  
ONLY BY EINHELL.**





## **CORDLESS FREEDOM. FOR TOOL AND GARDEN.**

**At last – no more too short or severed cables.**

When you have no longer to worry about extension cables that are too short or sufficient sockets. When the device comes to the project instead of the other way round. When you simply insert the battery and are ready to go, whether it is a lawn mower, garden pump, rotary hammer or wet and dry vacuum cleaner. Than that is the feeling of cordless freedom.



## **LATEST TECHNOLOGY. PROVEN QUALITY.**

**So you can enjoy using your machine for a very long time.**

The Power X-Change batteries are the centerpiece of the platform. That is why we use only the best components such as high-performance Li-Ion cells and our intelligent ABS battery electronics in the batteries. This makes our PXC battery one of the safest in the industry and ensures efficiency, reliability and durability. Stiftung Warentest (11/2020 issue) confirmed its quality in a comparison test with eight batteries from eight different battery platforms. The 2.0 Ah battery from the Power X-Change battery system from Einhell beat off stiff competition to emerge as test winner.



## POWERFUL MACHINES. LONG-LASTING BATTERIES.

**No matter how large your project – Power X-Change won't let you down.**

Less power? No way!

As a battery system for real enablers, our cordless machines offer up to 2700 Watt of battery power and 8 Ah of capacity, making them easily a match for corded machines! Whether you just want to hang a shelf or drill through a solid concrete wall, with Power X-Change you are equipped to meet any challenge with power and endurance.



## 1 BATTERY. 1000 POSSIBILITIES. FOR DIY ENTHUSIASTS AND HOBBY GARDENERS.

**Just as versatile as you: Battery power for every situation.**

Power X-Change is the first rechargeable battery system that provides hobby gardeners and DIY enthusiasts alike with an unrivaled selection of cordless tools. The PXC family already contains over 200 devices – and the number is constantly rising. Thanks to the versatile Power X-Change system, for instance, the electric kick scooter from GOVECS is “powered by Power X-Change”.



## ACTIVE BATTERY MANAGEMENT SYSTEM. INTELLIGENT ELECTRONIC CONTROL SYSTEM.

The computer-assisted Active Battery Management System permanently monitors and controls all the safety-related processes of the electrical components and associated hardware. This results in a whole range of advantages:

- MAXIMISED RUNNING TIMES
- OPTIMISED TOOL POWER
- LONGER BATTERY SERVICE LIFE
- INCREASED SAFETY



**TWIN-PACK®**

18V + 18V = 36V

**TECHNOLOGY**

## TWIN-PACK® TECHNOLOGY. 18 V + 18 V = 36 V.


If a device needs more power than provided by a single 18 V rechargeable battery, we simply add a second battery so we generate 18 V + 18 V = 36 V. We call that Twin-Pack® Technology. If the voltage (V) gets doubled, the power (W) gets doubled, too.

Double Twin-Pack Technology in turn makes it possible to work for even longer still without the nuisance of recharging. In this case, four rechargeable batteries are used. When the power of the first two batteries finally runs out, the system automatically switches over to the two additional batteries.

## POWER X-CHANGE PLUS.

Rechargeable batteries vary not just in terms of running time and weight. What is also critically important is the power that they provide. Power X-Change PLUS Technology makes more power available from the same number of cells, so that you can work with plenty of power even on challenging applications as well.

If, for example, you want to use your angle grinder for cutting work, the running time (see Ah rating) is generally not critical. Sufficient power, on the other hand, is. A car is a useful comparison. Uphill or when overtaking, more power, in other words more hp respectively kW, is needed.



## BRUSHLESS ENERGY – MORE EFFICIENT WORK.

Various Power X-Change devices are equipped with brushless motors. They offer significant advantages compared to carbon brush motor:

- MORE POWER
- LONGER RUNNING TIMES
- LONGER SERVICE LIFE
- MORE COMPACT DESIGN
- MAINTENANCE-FREE




- + 25% more power\*
- + 50% more operating time\*
- + 100% more service life\*

\* Approximate values in comparison to conventional carbon brush motors

# BATTERY EXPERTISE. CONVINCING. AGAIN AND AGAIN.




**TESTSIEGER**  
Stiftung  
Warentest  
test  
  
GUT (2,0)  
Ausgabe  
11/2020  
www.test.de  
20DQ08



**TESTSIEGER**  
Stiftung  
Warentest  
test  
  
GUT (2,0)  
Ausgabe  
04/2021  
www.test.de  
21CA79



Stiftung  
Warentest  
test  
  
GUT (2,1)  
Ausgabe  
02/2021  
www.test.de  
21FA83





*"We are incredibly proud to have done so well in a race with the very top competitors and to have been able to demonstrate our battery expertise so clearly. We are battery test winners"*

Andreas Kroiss, CEO Einhell Germany AG



## WE ARE TEST WINNERS. BY STIFTUNG WARENTEST.

And the test winner is... Einhell!

In the comparison test performed by Stiftung Warentest (11/2020 issue) covering eight batteries from eight different battery platforms, the 2.0 Ah battery from Einhell's Power X-Change battery system beat off stiff competition. Our battery put in a convincing performance when it came to durability, handling and safety. Having already achieved top marks with Power X-Change machines in

previous Stiftung Warentest comparisons, we are all the more delighted that one of the batteries we have spent so much time developing and refining came out of the test on top. This confirms the decision we took years ago to bundle our expertise in the battery technology sector in order to continue expanding the leading role of our Power X-Change battery system.

## THIS IS HOW:

Find out more at [einhell.de](http://einhell.de), register in your customer account and apply for the warranty. Further information is available at [www.einhell.de/warranties](http://www.einhell.de/warranties)

[einhell.de](http://einhell.de)  
>>>

## THE EINHELL GUARANTEE PROMISE.

We develop our products so that you can make everything possible. Our priority here is functionality, safety and quality. That is our promise and this is backed up by our guarantees too.

- **30 Day Money-Back Guarantee**  
For 100% satisfaction with your Power X-Change device.
- **Power X-Change Battery Warranty**  
Warranty extension for Power X-Change batteries to 2 years.
- **Einhell 2+1 Product Warranty**  
Warranty extension for all Einhell products to a total of 3 years.





**Einhell**



## CORDLESS DRILLS 18 V

- Brushless motor – more power, prolonged operation
- 13 mm metal drill chuck
- Additional handle



### TE-CD 18 Li Brushless

**EXPERT PLUS**

- Idle speed (gear 1 / 2): 0 - 500 / 0 - 1800 min<sup>-1</sup>
- Torque (hard): 60 Nm
- Number of torque settings: 19+1

Article only available without battery / charger / case

Art. No. 45.138.50

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
🔋 <sup>1)</sup>								
🔧 <sup>2)</sup>	265 pcs	350 pcs	440 pcs	530 pcs	700 pcs	920 pcs	1060 pcs	1400 pcs

<sup>1)</sup> Battery capacity

<sup>2)</sup> Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

## CORDLESS DRILLS 18 V

### TP-CD 18/60 Li Brushless

**PROFESSIONAL**

- Idle speed (gear 1 / 2): 0 - 500 / 0 - 2000 min<sup>-1</sup>
- Torque (hard): 60 Nm
- Number of torque settings: 21+1

Article only available without battery / charger / case

Art. No. 45.142.10

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	265 pcs	350 pcs	440 pcs	530 pcs	700 pcs	920 pcs	1060 pcs	1400 pcs

### TE-CD 18/50 Li Brushless

**EXPERT PLUS**



- Idle speed (gear 1 / 2): 0 - 500 / 0 - 1800 min<sup>-1</sup>
- Torque (hard): 50 Nm
- Number of torque settings: 19+1

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger and case E-Box

Basic Art. No. 45.138.96

Without batteries / chargers / case

Art. No. 45.138.87

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	240 pcs	320 pcs	400 pcs	480 pcs	640 pcs	830 pcs	960 pcs	1280 pcs

<sup>1)</sup> Battery capacity

<sup>2)</sup> Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge



- Brushless motor – more power, prolonged operation
- 13 mm metal drill chuck
- Additional handle



- Brushless motor – more power, prolonged operation
- 13 mm quick-change drill chuck
- 2-speed metal gear box



## CORDLESS DRILLS 18 V

### TE-CD 18/40 Li Brushless

**EXPERT**

- Idle speed (gear 1 / 2): 0 - 350 / 0 - 1450 min<sup>-1</sup>
- Torque (hard): 40 Nm
- Number of torque settings: 20+1

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger and case E-Box Basic  
Art. No. 45.139.95

Without batteries / chargers / case Art. No. 45.139.97

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	230 pcs	300 pcs	380 pcs	450 pcs	600 pcs	780 pcs	900 pcs	1200 pcs



- Brushless motor – more power, prolonged operation
- 2-speed metal gear box
- Lightweight and handy design



### TE-CD 18/45 3X-Li

**EXPERT**

- Idle speed (gear 1 / 2): 0 - 450 / 0 - 1600 min<sup>-1</sup>
- Torque (hard): 45 Nm
- Number of torque settings: 21+1

Incl. 1 battery (18 V | 2.0 Ah | Li-Ion), 1 charger, case E-Box Basic and 22-piece accessory set  
Art. No. 45.139.90

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	240 pcs	320 pcs	400 pcs	480 pcs	640 pcs	830 pcs	960 pcs	1280 pcs

- Removable drill chuck
- 90° angle extension
- Excenter extension



<sup>1)</sup> Battery capacity

<sup>2)</sup> Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

## CORDLESS DRILLS 18 V

### TE-CD 18 Li E

**EXPERT PLUS**

- Idle speed (gear 1 / 2): 0 - 400 / 0 - 1400 min<sup>-1</sup>
- Torque (hard): 47 Nm
- Number of torque settings: 8+1

Article only available without battery / charger / case

Art. No. 45.138.70

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	230 pcs	300 pcs	380 pcs	450 pcs	600 pcs	790 pcs	900 pcs	1200 pcs

- Electronic torque adjustment
- 2-speed metal gear box
- LED light



### TE-CD 18/40 Li

**EXPERT**

- Idle speed (gear 1 / 2): 0 - 400 / 0 - 1500 min<sup>-1</sup>
- Torque (hard): 40 Nm
- Number of torque settings: 20+1

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger, case and 22-piece accessory set

Art. No. 45.139.34

Incl. 2 batteries (18 V | 1.5 Ah | Li-Ion), 1 charger and case

Art. No. 45.139.39

Incl. 1 battery (18 V | 2.5 Ah | Li-Ion), 1 charger, case and 69-piece accessory set

Art. No. 45.139.55

Without batteries / chargers / case

Art. No. 45.139.25

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	230 pcs	305 pcs	380 pcs	460 pcs	610 pcs	770 pcs	920 pcs	1220 pcs



- 2-speed metal gear box
- LED light
- Quick stop

<sup>1)</sup> Battery capacity

<sup>2)</sup> Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

## CORDLESS DRILLS 18 V

### TE-CD 18/2 Li

**EXPERT**

- Idle speed (gear 1 / 2): 0 - 350 / 0 - 1250 min<sup>-1</sup>
- Torque (hard): 44 Nm
- Number of torque settings: 20+1

Incl. 2 batteries (18 V | 1.5 Ah | Li-Ion), 1 charger and case

Art. No. 45.138.30

Incl. 1 battery (18 V | 2.5 Ah | Li-Ion), 1 charger, case E-Box Basic and 39-piece accessory set

Art. No. 45.142.19

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	180 pcs	240 pcs	300 pcs	360 pcs	480 pcs	625 pcs	720 pcs	960 pcs

- 2-speed metal gear box
- LED light
- Belt clip



### TC-CD 18/35 Li

**CLASSIC**

- Idle speed: 0 - 550 min<sup>-1</sup>
- Torque (hard): 35 Nm
- Number of torque settings: 20+1

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger, 200-piece screw set, case E-Box Basic and 39-piece accessory set



Art. No. 45.139.57

Incl. 1 battery (18 V | 1.5 Ah | Li-Ion) and 1 charger

Art. No. 45.139.14

Without battery / charger / case

Art. No. 45.139.27

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	220 pcs	295 pcs	366 pcs	440 pcs	590 pcs	760 pcs	880 pcs	1180 pcs

- 10 mm drill chuck
- Quick stop
- LED light



<sup>1)</sup> Battery capacity

<sup>2)</sup> Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge



## CORDLESS IMPACT DRILLS 18 V

### TE-CD 18 Li-i Brushless

**EXPERT PLUS**

- Idle speed (gear 1 / 2): 0 - 500 / 0 - 1800 min<sup>-1</sup>
- Blow rate (gear 1 / 2): 0 - 8000 / 0 - 28800 min<sup>-1</sup>
- Torque (hard): 60 Nm

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger and case E-Box

Art. No. 45.138.61

Without batteries / chargers / case

Art. No. 45.138.60

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	265 pcs	350 pcs	440 pcs	530 pcs	700 pcs	920 pcs	1060 pcs	1400 pcs



- Brushless motor – more power, prolonged operation
- 13 mm metal drill chuck
- Additional handle

**BRUSHLESS ENERGY**  
Einhell

### TP-CD 18/60 Li-i Brushless

**PROFESSIONAL**

- Idle speed (gear 1 / 2): 0 - 500 / 0 - 2000 min<sup>-1</sup>
- Blow rate (gear 1 / 2): 0 - 8000 / 0 - 32000 min<sup>-1</sup>
- Torque (hard): 60 Nm

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger, case E-Box Basic and 39-piece accessory set

Art. No. 45.142.06

Without batteries / chargers / case

Art. No. 45.142.05

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	265 pcs	350 pcs	440 pcs	530 pcs	700 pcs	920 pcs	1060 pcs	1400 pcs



- Brushless motor – more power, prolonged operation
- 13 mm metal drill chuck
- Additional handle

**BRUSHLESS ENERGY**  
Einhell


<sup>1)</sup> Battery capacity

<sup>2)</sup> Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

## CORDLESS IMPACT DRILLS 18 V

### TE-CD 18/50 Li-i Brushless


**EXPERT PLUS**

- Idle speed (gear 1 / 2): 0 - 500 / 0 - 1800 min<sup>-1</sup>
- Blow rate (gear 1 / 2): 0 - 8000 / 0 - 28800 min<sup>-1</sup>
- Torque (hard): 50 Nm

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger, case E-Case and 39-piece accessory set Art. No. 45.139.69

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger and case E-Box Basic Art. No. 45.139.40

Without batteries / chargers / case Art. No. 45.139.42

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	240 pcs	320 pcs	400 pcs	480 pcs	640 pcs	830 pcs	960 pcs	1280 pcs

- Brushless motor – more power, prolonged operation
- 13 mm metal drill chuck
- 2-speed metal gear box



### TE-CD 18/48 Li-i

**EXPERT**

- Idle speed (gear 1 / 2): 0 - 400 / 0 - 1500 min<sup>-1</sup>
- Blow rate (gear 1 / 2): 0 - 6400 / 0 - 24000 min<sup>-1</sup>
- Torque (hard): 48 Nm

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger and case E-Box Basic Art. No. 45.139.35

Without battery / charger / case Art. No. 45.139.26

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	230 pcs	310 pcs	380 pcs	460 pcs	620 pcs	780 pcs	910 pcs	1240 pcs



- 13 mm metal drill chuck
- Additional handle
- LED light

<sup>1)</sup> Battery capacity

<sup>2)</sup> Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

## CORDLESS IMPACT DRILLS 18 V

### TE-CD 18/40 Li-i

**EXPERT**

- Idle speed (gear 1 / 2): 0 - 400 / 0 - 1500 min<sup>-1</sup>
- Blow rate (gear 1 / 2): 0 - 6400 / 0 - 24000 min<sup>-1</sup>
- Torque (hard): 40 Nm

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger, case and 64-piece accessory set  
Art. No. 45.139.92

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	230 pcs	305 pcs	380 pcs	460 pcs	610 pcs	770 pcs	920 pcs	1220 pcs



- 13 mm metal drill chuck
- 2-speed metal gear box
- LED light

### TE-CD 18/2 Li-i

**EXPERT**

- Idle speed (gear 1 / 2): 0 - 350 / 0 - 1250 min<sup>-1</sup>
- Blow rate (gear 1 / 2): 0 - 5250 / 0 - 18750 min<sup>-1</sup>
- Torque (hard): 44 Nm

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger, case and 64-piece accessory set  
Art. No. 45.142.21

Incl. 1 battery (18 V | 2.5 Ah | Li-Ion), 1 charger, case E-Box Basic and 22-piece accessory set  
Art. No. 45.142.20

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	180 pcs	240 pcs	300 pcs	360 pcs	480 pcs	625 pcs	720 pcs	960 pcs



- 13 mm metal drill chuck
- 2-speed metal gear box
- LED light

<sup>1)</sup> Battery capacity

<sup>2)</sup> Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

## CORDLESS IMPACT WRENCHES 18 V



### IMPAXXO 18/400

**PROFESSIONAL**

- Idle speed: 0 - 1000 min<sup>-1</sup> / 0 - 1500 min<sup>-1</sup> / 0 - 2000 min<sup>-1</sup>
- Torque (hard): 400 Nm
- Mount: external square drive mount 12.5 mm (½") – incl. bit adapter and 3-piece nut-set

Article only available without battery / charger / case

Art. No. 45.100.70

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	40 pcs	55 pcs	68 pcs	80 pcs	110 pcs	140 pcs	160 pcs	220 pcs

For best performance select a battery with at least 2.5 Ah

- Brushless motor – more power, prolonged operation
- Very high torque – suitable for changing tyres
- 3 torque settings





### TE-CW 18 Li Brushless

**EXPERT PLUS**

- Idle speed: 0 - 2900 min<sup>-1</sup>
- Torque (hard): 215 Nm
- Mount: external square drive mount 12.5 mm (½") – incl. bit adapter

Article only available without battery / charger / case

Art. No. 45.100.40

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	75 pcs	100 pcs	125 pcs	150 pcs	200 pcs	260 pcs	300 pcs	400 pcs

For best performance select a battery with at least 2.5 Ah



- Brushless motor – more power, prolonged operation
- Very high torque – suitable for changing tyres
- ½" external square drive mount



<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. number of wheel bolts (hexagon head, wrench size 22 mm) that can be screwed in and out per battery charge

## CORDLESS IMPACT DRIVERS 18 V

### TE-CI 18 Li Brushless

**EXPERT PLUS**

- Idle speed: 0 - 2900 min<sup>-1</sup>
- Torque (hard): 180 Nm
- Mount: internal hexagon 6.35 mm (¼")

Article only available without battery / charger / case

Art. No. 45.100.30

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	210 pcs	280 pcs	350 pcs	420 pcs	560 pcs	730 pcs	840 pcs	1120 pcs

For best performance select a battery with at least 2.5 Ah



- Brushless motor – more power, prolonged operation
- Short and lightweight design
- High torque



### TE-CI 18/1 Li

**EXPERT PLUS**

- Idle speed: 0 - 2300 min<sup>-1</sup>
- Torque (hard): 140 Nm
- Mount: internal hexagon 6.35 mm (¼")

Article only available without battery / charger / case

Art. No. 45.100.34

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	140 pcs	185 pcs	230 pcs	280 pcs	370 pcs	520 pcs	560 pcs	740 pcs

- Short design
- 3 power LEDs
- Belt clip



<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. number of wheel bolts (hexagon head, wrench size 22 mm) that can be screwed in and out per battery charge



More information and further articles can be found on our website

[www.einhell.de](http://www.einhell.de)

## CORDLESS DRYWALL SCREWDRIVER 18 V



- Continuous operation setting
- Toolless depth adjustment
- Speed control electronics

### TE-DY 18 Li

**EXPERT**

- Idle speed: 0 - 4000 min<sup>-1</sup>
- Torque (soft): 6 Nm
- Bit mount: internal hexagon 6.35 mm (1/4")

Article includes case E-Box but no battery / charger

Art. No. 42.599.80

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	800 pcs	1100 pcs	1350 pcs	1600 pcs	2200 pcs	2800 pcs	3300 pcs	4400 pcs

<sup>1)</sup> Battery capacity

<sup>2)</sup> Screwing 3.9 x 25 mm screws into drywall – max. quantity per battery charge

## CORDLESS IMPACT DRILL 18 V



- 2 functions
- 13 mm quick-change drill chuck
- Speed electronics



### TC-ID 18 Li

**CLASSIC**

- Idle speed: 0 - 2600 min<sup>-1</sup>
- Blow rate: 0 - 41600 min<sup>-1</sup>
- Drilling capacity, cement: 13 mm

Article only available without battery / charger / case

Art. No. 45.139.60

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	45 pcs	60 pcs	75 pcs	90 pcs	120 pcs	156 pcs	180 pcs	240 pcs

<sup>1)</sup> Battery capacity

<sup>2)</sup> Drilling in red brick with 6 mm / 50 mm drill – max. quantity per battery charge



## CORDLESS ROTARY HAMMER 36 V



### HEROCCO 36/28

**EXPERT PLUS**

- Idle speed: 0 - 1100 min<sup>-1</sup>
- Impact force: 3.2 J
- Drilling capacity, cement: 28 mm
- Drill chuck: SDS-plus

Article includes case E-Box but no battery / charger

Art. No. 45.139.50

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	59 holes	79 holes	105 holes	126 holes	169 holes	222 holes	276 holes	338 holes

For best performance select a battery with at least 3.0 Ah



- Brushless motor – more power, prolonged operation
- 4 functions
- Twin-Pack® Technology: 2x 18 V Power X-Change batteries – more power



## CORDLESS ROTARY HAMMERS 18 V




### HEROCCO 18/20

**EXPERT PLUS**

- Idle speed: 0 - 1200 min<sup>-1</sup>
- Impact force: 2.2 J
- Drilling capacity, cement: 20 mm
- Drill chuck: SDS-plus
- Incl.: magnetic bit adapter

Article includes case E-Box but no battery / charger

Art. No. 45.139.00

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	250 pcs	335 pcs	417 pcs	500 pcs	670 pcs	870 pcs	1000 pcs	1340 pcs
 <sup>3)</sup>	65 holes	87 holes	108 holes	130 holes	174 holes	225 holes	260 holes	348 holes

For best performance select a battery with at least 3.0 Ah



- Brushless motor – more power, prolonged operation
- 4+1 functions
- Vibration-cushioned handle



<sup>1)</sup> Battery capacity (HEROCCO 36/28: 2x batteries required)

<sup>2)</sup> Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

<sup>3)</sup> 6 mm / 50 mm in concrete – max. quantity per battery charge



## CORDLESS ROTARY HAMMERS 18 V




### TE-HD 18/12 Li

EXPERT

- Idle speed: 0 - 1300 min<sup>-1</sup>
- Impact force: 1.3 J
- Drilling capacity, cement: 12 mm
- Drill chuck: SDS-plus
- Incl.: magnetic bit adapter

Article only available without battery / charger / case

Art. No. 45.139.70

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	136 pcs	185 pcs	226 pcs	270 pcs	360 pcs	474 pcs	540 pcs	720 pcs
 <sup>3)</sup>	34 holes	45 holes	57 holes	82 holes	96 holes	140 holes	166 holes	182 holes

- 2+1 functions
- Speed control electronics
- LED light






### TE-HD 18 Li (1x 2.5 Ah)

EXPERT

- Idle speed: 0 - 1100 min<sup>-1</sup>
- Impact force: 1.2 J
- Drilling capacity, cement: 12 mm
- Drill chuck: SDS-plus
- Incl.: magnetic bit adapter

Incl. 1 battery (18 V | 2.5 Ah | Li-Ion), 1 charger, 5-piece drill bit set and case E-Box Basic

Art. No. 45.142.18

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	135 pcs	180 pcs	225 pcs	270 pcs	360 pcs	465 pcs	540 pcs	720 pcs
 <sup>3)</sup>	34 holes	45 holes	56 holes	68 holes	90 holes	117 holes	135 holes	180 holes

- 2+1 functions
- Speed control electronics
- LED light



<sup>1)</sup> Battery capacity

<sup>2)</sup> Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

<sup>3)</sup> 6 mm / 50 mm in concrete – max. quantity per battery charge



More information and further articles can be found on our website

[www.einhell.de](http://www.einhell.de)

## CORDLESS PAINT/MORTAR MIXER 18 V

- Ergonomic, handy design
- Speed control electronics
- Soft start



### TE-MX 18 Li

**EXPERT**

- Idle speed: 0 - 620 min<sup>-1</sup>
- Stirrer mount: M14
- Incl.: 1 mortar stirrer (Ø 100 mm)

Article only available without battery / charger / case

Art. No. 42.587.60

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	18 min	24 min	30 min	36 min	48 min	62 min	72 min	96 min
 <sup>3)</sup>	15 min	20 min	25 min	30 min	40 min	52 min	60 min	80 min
 <sup>4)</sup>	12 min	16 min	20 min	24 min	32 min	42 min	48 min	64 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode

<sup>3)</sup> Mixing duration for wall paint per battery charge

<sup>4)</sup> Mixing duration for mortar per battery charge

## CORDLESS ANGLE GRINDER 36 V



- Brushless motor – more power, prolonged operation
- Quick fix nut – easy disc change
- Twin-Pack® Technology:  
2x 18 V Power X-Change batteries – more power



### AXXIO 36/230 Q

**PROFESSIONAL**

- Idle speed: 6600 min<sup>-1</sup>
- Wheel diameter: 230 mm
- Max. cutting depth: 70 mm

Article only available without battery / charger / case <sup>3)</sup>

Art. No. 44.311.60

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	24 pcs	32 pcs	41 pcs	48 pcs	62 pcs	81 pcs	93 pcs	124 pcs

For best performance select a battery with at least 3.0 Ah

<sup>1)</sup> Battery capacity (2x batteries required)

<sup>2)</sup> Cutting through pieces of round steel with 12 mm – max. quantity per battery charge

<sup>3)</sup> Cutting/grinding discs not included



## CORDLESS ANGLE GRINDERS 18 V



### AXXIO 18/150

**EXPERT PLUS**

- Idle speed: 8500 min<sup>-1</sup>
- Wheel diameter: 150 mm
- Max. cutting depth: 40 mm
- Incl.: 1 cutting disc and 1 cutting guard

Article only available without battery / charger / case

Art. No. 44.311.44

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	22 pcs	33 pcs	37 pcs	46 pcs	61 pcs	85 pcs	92 pcs	122 pcs

For best performance select a battery with at least 2.5 Ah



- Brushless motor – more power, prolonged operation
- Increased cutting depth thanks to larger disc diameter
- Disc guard with quick adjust facility



### AXXIO

**EXPERT PLUS**

- Idle speed: 8500 min<sup>-1</sup>
- Wheel diameter: 125 mm
- Max. cutting depth: 33 mm

Article only available without battery / charger / case <sup>3)</sup>

Art. No. 44.311.40

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	22 pcs	33 pcs	37 pcs	46 pcs	61 pcs	85 pcs	92 pcs	122 pcs

For best performance select a battery with at least 2.5 Ah



- Brushless motor – more power, prolonged operation
- Soft start
- Disc guard with quick adjust facility

<sup>1)</sup> Battery capacity

<sup>2)</sup> Cutting through pieces of round steel with 12 mm – max. quantity per battery charge

<sup>3)</sup> Cutting/grinding discs not included

## CORDLESS ANGLE GRINDERS 18 V



### AXXIO 18/125 Q

**EXPERT PLUS**

- Idle speed: 8500 min<sup>-1</sup>
- Wheel diameter: 125 mm
- Max. cutting depth: 33 mm

Article only available without battery / charger / case <sup>3)</sup>

Art. No. 44.311.51

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	23 pcs	29 pcs	37 pcs	52 pcs	63 pcs	92 pcs	121 pcs	126 pcs

For best performance select a battery with at least 2.5 Ah



- Brushless motor – more power, prolonged operation
- Quick fix nut – easy disc change
- Disc guard with quick adjust facility



### AXXIO 18/115 Q

**EXPERT PLUS**

- Idle speed: 8500 min<sup>-1</sup>
- Wheel diameter: 115 mm
- Max. cutting depth: 28 mm

Article only available without battery / charger / case <sup>3)</sup>

Art. No. 44.311.50

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	23 pcs	29 pcs	37 pcs	52 pcs	63 pcs	92 pcs	121 pcs	126 pcs

For best performance select a battery with at least 2.5 Ah



- Brushless motor – more power, prolonged operation
- Quick fix nut – easy disc change
- Disc guard with quick adjust facility

<sup>1)</sup> Battery capacity

<sup>2)</sup> Cutting through pieces of round steel with 12 mm – max. quantity per battery charge

<sup>3)</sup> Cutting/grinding discs not included

## CORDLESS ANGLE GRINDERS 18 V

### TE-AG 18/115 Li

**EXPERT PLUS**



- Idle speed: 8500 min<sup>-1</sup>
- Wheel diameter: 115 mm
- Max. cutting depth: 28 mm

Incl. 1 battery (18 V|3.0 Ah|Li-Ion), 1 charger and case E-Box <sup>3)</sup>  
Art. No. 44.311.19

Incl. 1 cutting disc, 1 grinding disc, 1 cutting guard, case E-Box  
Basic but no battery / charger Art. No. 44.311.23

Without battery / charger / case <sup>3)</sup> Art. No. 44.311.10

Incl. 1 battery (18 V|4.0 Ah|Li-Ion), 1 charger, 1 cutting disc, 1 grinding disc, 1 cutting guard, Einhell Bag 45/22 Art. No. 44.311.34

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	15 pcs	20 pcs	25 pcs	30 pcs	40 pcs	60 pcs	70 pcs	80 pcs


For best performance select a battery with at least 2.5 Ah

### TC-AG 18/115 Li

**CLASSIC**

- Idle speed: 8500 min<sup>-1</sup>
- Wheel diameter: 115 mm
- Max. cutting depth: 28 mm

Article only available without battery / charger / case <sup>3)</sup>  
Art. No. 44.311.30

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	15 pcs	20 pcs	25 pcs	30 pcs	40 pcs	60 pcs	70 pcs	80 pcs

For best performance select a battery with at least 2.5 Ah



- Soft start
- Disc guard with quick adjust facility
- Spindle Lock

- Soft start
- Restart safeguard
- Spindle Lock



<sup>1)</sup> Battery capacity

<sup>2)</sup> Cutting through pieces of round steel with 12 mm – max. quantity per battery charge

<sup>3)</sup> Cutting/grinding discs not included



## CORDLESS PLANER 18 V

### TE-PL 18/82 Li

**EXPERT**

- Idle speed: 15000 min<sup>-1</sup>
- Planing width: 82 mm
- Max. rebate depth: 8 mm

Article only available without battery / charger     Art. No. 43.454.00

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	16 m	25 m	28 m	37 m	48 m	58 m	78 m	96 m

For best performance select a battery with at least 2.5 Ah

<sup>1)</sup> Battery capacity

<sup>2)</sup> Planing of spruce wood (depth: 1 mm / width: 50 mm), maximum length in meters per battery charge



- Powerful – with a planing depth up to 2 mm
- Automatic park rest for added safety
- Incl. parallel guide for precise planing results



## CORDLESS MINI CIRCULAR SAW 18 V

### TE-CS 18/89 Li

**EXPERT**

- Idle speed: 3500 min<sup>-1</sup>
- Saw blade: ø 89 x ø 10 mm
- Cutting depth 90°: 28 mm

Incl. 1 TCT sawblade, 1 HSS sawblade, 1 parallel stop but no battery / charger / case     Art. No. 43.311.00

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	26 m	36 m	50 m	57 m	72 m	104 m	120 m	144 m

<sup>1)</sup> Battery capacity

<sup>2)</sup> Cutting capacity for 19 mm chipboard – max. cutting capacity per battery charge

- Toolless cutting depth adjustment
- Aluminium sawing table
- Dust extraction device



## CORDLESS CIRCULAR SAWS 18 V



### TE-CS 18/190 Li BL

**EXPERT PLUS**

- Idle speed: 3800 min<sup>-1</sup>
- Saw blade: ø 190 x ø 20/30 mm
- Cutting depth at 45° / 90°: 45 mm / 65 mm

Article only available without battery / charger / case

Art. No. 43.312.10

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	18 m	24 m	30 m	37 m	49 m	63 m	73 m	98 m

For best performance select a battery with at least 2.5 Ah

### TE-CS 18/165-1 Li

**EXPERT**

- Idle speed: 4200 min<sup>-1</sup>
- Saw blade: ø 165 x ø 20 mm
- Cutting depth at 45° / 90°: 35 mm / 54 mm

Article only available without battery / charger / case

Art. No. 43.312.07

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	25 m	33 m	40 m	49 m	64 m	82 m	98 m	128 m

### TE-CS 18/150 Li

**EXPERT**

- Idle speed: 4200 min<sup>-1</sup>
- Saw blade: ø 150 x ø 10/16 mm
- Cutting depth at 45° / 90°: 32 mm / 48 mm

Article only available without battery / charger / case

Art. No. 43.312.20

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	23 m	30 m	38 m	45 m	60 m	78 m	90 m	120 m

<sup>1)</sup> Battery capacity <sup>2)</sup> Cutting capacity for 19 mm chipboard – max. cutting capacity per battery charge



- Brushless motor – more power, prolonged operation
- Adjustment without tools (depth/angle)
- LED light
- Aluminium sawing table



- Adjustment without tools (depth/angle)
- LED light
- Aluminium sawing table



- Adjustment without tools (depth/angle)
- LED light
- Aluminium sawing table



## CORDLESS JIGSAWS 18 V



### TE-JS 18/80 Li

**EXPERT**

- Stroke speed: 0 - 2400 min<sup>-1</sup>
- Cutting depth (wood / plastic / steel): 80 / 12 / 10 mm
- Product weight: 1.8 kg (excl. battery)

Article only available without battery / charger / case

Art. No. 43.212.00

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	7 m	9.5 m	11 m	14 m	20 m	30 m	32 m	40 m

- Universal blade holder
- Pendulum action (4 settings)
- Blade change without tools
- LED light



### TC-JS 18 Li

**CLASSIC**

- Stroke speed: 0 - 2700 min<sup>-1</sup>
- Cutting depth (wood / plastic / steel): 70 / 10 / 8 mm
- Product weight: 1.8 kg (excl. battery)

Incl. 1 battery (18 V | 2.5 Ah | Li-Ion), 1 charger, 3 saw blades (wood), 2 saw blades (metal) and case E-Box Basic Art. No. 43.212.28

Article includes high quality KWB saw blade but no battery / charger / case Art. No. 43.212.09

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	7 m	9.5 m	11 m	14 m	20 m	30 m	32 m	40 m

- Pendulum action (4 settings)
- Blade change without tools
- Dust-blower function



<sup>1)</sup> Battery capacity

<sup>2)</sup> Cutting capacity for 19 mm chipboard – max. cutting capacity per battery charge



## CORDLESS ALL PURPOSE SAWS 18 V



- Brushless motor – more power, prolonged operation
- Rotatable main handle
- Anti-vibration function





### TE-AP 18/28 Li BL

**EXPERT PLUS**

- Stroke speed / height: 0 - 2500 min<sup>-1</sup> / 28 mm
- Cutting depth (wood / steel): 200 / 12 mm
- Saw blade thickness: 0.8 - 1.6 mm

Article includes high quality KWB saw blade but no battery / charger / case  
Art. No. 43.263.10

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	170 pcs	226 pcs	332 pcs	417 pcs	556 pcs	723 pcs	834 pcs	1112 pcs

For best performance select a battery with at least 2.5 Ah

<sup>1)</sup> Battery capacity

<sup>2)</sup> Round timber 35 mm – max. number of cuts per battery charge

## CORDLESS ALL PURPOSE SAWS 18 V

### TE-AP 18/26 Li

**EXPERT**

- Stroke speed / height: 0 - 2600 min<sup>-1</sup> / 26 mm
- Cutting depth (wood / steel): 180 / 12 mm
- Saw blade thickness: 0.7 - 1.8 mm

Incl. high quality saw blade but no battery / charger / case

Art. No. 43.262.90

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	155 pcs	207 pcs	260 pcs	311 pcs	414 pcs	572 pcs	640 pcs	828 pcs

### TE-AP 18 Li

**EXPERT PLUS**

- Stroke speed / height: 0 - 2600 min<sup>-1</sup> / 22 mm
- Cutting depth (wood / steel): 100 / 6 mm
- Saw blade thickness: 0.6 - 1.6 mm

Article only available without battery / charger / case

Art. No. 43.263.00

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	140 pcs	185 pcs	240 pcs	290 pcs	370 pcs	570 pcs	580 pcs	740 pcs

- Anti-vibration function
- Blade change without tools
- Soleplate adjustment without tools



- Blade change without tools
- Soleplate adjustment without tools
- Ergonomic, compact design

<sup>1)</sup> Battery capacity

<sup>2)</sup> Round timber 35 mm – max. number of cuts per battery charge




## CORDLESS SLIDING MITRE SAW 36 V

### TE-SM 36/210 Li

**EXPERT**

- Speed: 3800 min<sup>-1</sup>
- Saw blade / number of teeth: HM ø 210 x ø 30 x 1.8 mm / Z40
- Swivelling range: -47° to +47°
- Mitre cut: 0° to 45° to the left
- Cutting capacity 90° x 90°: 310 x 65 mm

Article only available without battery / charger    Art. No. 43.008.80

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	140 pcs	185 pcs	230 pcs	275 pcs	370 pcs	480 pcs	555 pcs	740 pcs
 <sup>3)</sup>	263 pcs	350 pcs	435 pcs	525 pcs	700 pcs	910 pcs	1050 pcs	1400 pcs

<sup>1)</sup> Battery capacity (2x batteries required)

<sup>2)</sup> Square timber 60 x 60 mm (soft wood) – max. number of cuts per battery charge

<sup>3)</sup> Laminate 195 x 8 mm – max. number of cuts per battery charge



**TWIN-PACK®**  
**18V + 18V** → **36V**  
**TECHNOLOGY**

- Specially developed high-quality precision saw blade
- Laser and LED for easy and safe use
- Powerful 36 V motor (2x 18 V)

## CORDLESS MITRE SAW 18 V

### TE-MS 18/210 Li

**EXPERT**

- Speed: 3000 min<sup>-1</sup>
- Saw blade / number of teeth: HM ø 210 x ø 30 x 1.8 mm / Z40
- Swivelling range: -47° to +47°
- Mitre cut: 0° to 45° to the left
- Cutting capacity: 120 x 60 mm

Article only available without battery / charger    Art. No. 43.008.90

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	72 pcs	103 pcs	120 pcs	154 pcs	190 pcs	250 pcs	304 pcs	400 pcs

For best performance select a battery with at least 2.5 Ah

<sup>1)</sup> Battery capacity

<sup>2)</sup> Square timber 60 x 60 mm (soft wood) – max. number of cuts per battery charge

- Specially developed high-quality precision saw blade
- Laser and LED for easy and safe use
- X-Tend work supports with single hand operation facility and integrated limit stop for repeat cutting



## CORDLESS TABLE SAW 36 V

### TE-TS 36/210 Li

**EXPERT**

- Speed: 3800 min<sup>-1</sup>
- Saw blade / number of teeth: HM ø 210 x ø 30 x 1.8 mm / Z40
- Cutting height 90° / 45°: 70 mm / 45 mm
- Cutting capacity (on the right side): 625 mm

Article only available without batteries / chargers Art. No. 43.404.50

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	45 lfm	60 lfm	71 lfm	92 lfm	122 lfm	160 lfm	184 lfm	244 lfm

For best performance select a battery with at least 2.5 Ah

<sup>1)</sup> Battery capacity (2x batteries required)

<sup>2)</sup> OSB panel 19 mm – max. cutting range per battery charge

- Specially developed high-quality precision saw blade
- Sturdy aluminium table
- Holders for stowing away all the attachments

**TWIN-PACK®**  
18V Li+18V Li 36V  
TECHNOLOGY





## CORDLESS TILE CUTTING MACHINE 18 V

### TE-TC 18/115 Li

**EXPERT**

- Speed: 3800 min<sup>-1</sup>
- Cutting wheel: ø 115 x ø 22.2 mm
- Cutting height 90° / 45°: 24 mm / 16 mm

Article only available without battery / charger Art. No. 43.011.90

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	37 pcs	50 pcs	63 pcs	75 pcs	100 pcs	130 pcs	150 pcs	200 pcs

<sup>1)</sup> Battery capacity

<sup>2)</sup> Ceramic tile 15 x 15 cm – max. cutting range per battery charge



- Excellent diamond cutting disc for perfect cuts
- Very powerful engine
- Integrated water tank

## CORDLESS MULTIFUNCTIONAL TOOLS 18 V





### VARRITO

**EXPERT PLUS**

- Oscillating speed: 22000 - 40000 min<sup>-1</sup>
- Oscillation angle: 3.2°
- Abrasive paper size: 93 x 93 mm
- Incl.: 15-piece accessory set

Article only available without battery / charger / case

Art. No. 44.651.60

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	23 min	30 min	38 min	45 min	60 min	78 min	90 min	120 min
 <sup>3)</sup>	540 pcs	720 pcs	900 pcs	1080 pcs	1440 pcs	1880 pcs	2160 pcs	2880 pcs
 <sup>4)</sup>	100 pcs	134 pcs	166 pcs	200 pcs	268 pcs	340 pcs	400 pcs	536 pcs



- Quick-release lock
- Magnetic tool mounting
- Speed control electronics





### TC-MG 18 Li

**CLASSIC**

- Oscillating speed: 22000 - 40000 min<sup>-1</sup>
- Oscillation angle: 3.2°
- Abrasive paper size: 93 x 93 mm
- Incl.: 13-piece accessory set

Article only available without battery / charger / case

Art. No. 44.651.70

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	23 min	30 min	38 min	45 min	60 min	78 min	90 min	120 min
 <sup>3)</sup>	540 pcs	720 pcs	900 pcs	1080 pcs	1440 pcs	1880 pcs	2160 pcs	2880 pcs
 <sup>4)</sup>	100 pcs	134 pcs	166 pcs	200 pcs	268 pcs	340 pcs	400 pcs	536 pcs

- Magnetic tool mounting
- Speed control electronics
- Ergonomic, handy design



<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode

<sup>3)</sup> Round plastics 10 mm – max. number of cuts per battery charge

<sup>4)</sup> Round steel 6 mm – max. number of cuts per battery charge

## CORDLESS ROTATING SANDER 18 V

### TE-RS 18 Li

**EXPERT PLUS**

- Oscillating speed: 14000 - 22000 min<sup>-1</sup>
- Oscillating circuit ø: 2.0 mm
- Abrasive paper ø: 125 mm
- Incl.: abrasive paper (1 pc)

Article only available without battery / charger / case

Art. No. 44.620.10

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	15 min	20 min	25 min	30 min	40 min	52 min	60 min	80 min



- Speed control electronics
- Hook and loop fastening
- Dust extraction

## CORDLESS MULTI SANDER 18 V

### TE-OS 18/150 Li

**EXPERT**

- Oscillating speed: 24000 min<sup>-1</sup>
- Oscillating circuit ø: 1.6 mm
- Abrasive paper: 150 x 150 x 100 mm
- Incl.: abrasive papers (6 pc)

Article only available without battery / charger / case

Art. No. 44.607.08

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	23 min	27 min	34 min	40 min	55 min	70 min	80 min	110 min

- Small, compact and handy
- Hook and loop fastening
- Dust extraction



<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode

## CORDLESS ORBITAL SANDERS 18 V

### TE-OS 18/230 Li

**EXPERT**

- Oscillating speed: 14000 - 22000 min<sup>-1</sup>
- Oscillating circuit ø: 2.5 mm
- Abrasive paper: 230 x 115 mm
- Incl.: abrasive papers (3 pc)

Article only available without battery / charger / case

Art. No. 44.607.20

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	20 min	27 min	33 min	40 min	54 min	70 min	80 min	108 min



- Speed control electronics
- Hook and loop fastening
- Aluminium sole plate
- Dust extraction

### TC-OS 18/187 Li

**CLASSIC**

- Oscillating speed: 24000 min<sup>-1</sup>
- Oscillating circuit ø: 2.0 mm
- Abrasive paper: 187 x 94 mm
- Incl.: abrasive paper (1 pc)

Article only available without battery / charger / case

Art. No. 44.607.25

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	25 min	34 min	42 min	50 min	67 min	87 min	100 min	134 min

- Hook and loop fastening
- Dust extraction



<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode



## CORDLESS DRYWALL POLISHER 18 V

TE-DW 18/225 Li

**EXPERT PLUS**

- Oscillating speed: 600 - 1200 min<sup>-1</sup>
- Incl.: 6x sheets of abrasive paper and 1x sheet of abrasive mesh

Article includes case but no battery / charger Art. No. 42.599.90

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	21 min	26 min	33 min	44 min	55 min	68 min	78 min	110 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode



- Speed control electronics
- Swivelling brush ring
- Hook and loop fastening
- Dust extraction



## CORDLESS CAR POLISHING MACHINE 18 V

### CE-CB 18/254 Li

**CAR EXPERT**

- Idle speed: 2500 min<sup>-1</sup>
- Diameter: 254 mm

Article only available without battery / charger / case

Art. No. 20.933.01

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	56 min	81 min	93 min	112 min	127 min	200 min	222 min	254 min

For best performance select a battery with at least 2.5 Ah

- Handy and robust
- Soft grip for comfortable operation
- Incl. 1 textile polishing bonnet and 1 synthetic polishing bonnet



## CORDLESS POLISHING/SANDING MACHINE 18 V

### CE-CP 18/180 Li E

**EXPERT**

- Idle speed: 500 - 3000 min<sup>-1</sup>
- Diameter: 180 mm

Article only available without battery / charger / case

Art. No. 20.933.20

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	17 min	20 min	25 min	35 min	43 min	54 min	65 min	86 min

For best performance select a battery with at least 2.5 Ah



- Brushless motor – more power, prolonged operation
- Speed control electronics
- Hook and loop fastening for changing the attachments quickly

**BRUSHLESS ENERGY**  
**Einhell**

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode

## CORDLESS BLOWER 18 V




### TE-CB 18/180 Li

**EXPERT**

- Blow velocity (step 1 / 2): 130 km/h / 180 km/h
- Idle speed (step 1 / 2): 11500 min<sup>-1</sup> / 15500 min<sup>-1</sup>
- Incl.: 3 inflation nozzles

Article only available without battery / charger / case

Art. No. 34.080.01

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	31 min	39 min	48 min	62 min	68 min	100 min	124 min	136 min
 <sup>3)</sup>	18 min	24 min	26 min	36 min	48 min	56 min	65 min	96 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Performance at setting 1 per battery charge in idle mode

<sup>3)</sup> Performance at setting 2 per battery charge in idle mode

## CORDLESS PAINT SPRAY SYSTEM 18 V

### TC-SY 18/60 Li

**CLASSIC**

- Delivery rate: 650 ml/min
- Tank volume: 800 ml
- Max. viscosity: 60 DIN-sec
- Incl.: 2 nozzles for different viscosities
- Incl.: purification needle and purification brush

Article only available without battery / charger Art. No. 42.600.25

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	22 m <sup>2</sup>	30 m <sup>2</sup>	38 m <sup>2</sup>	45 m <sup>2</sup>	60 m <sup>2</sup>	78 m <sup>2</sup>	90 m <sup>2</sup>	120 m <sup>2</sup>

<sup>1)</sup> Battery capacity

<sup>2)</sup> Varnishing of wood, wood lacquer, viscosity 60 DIN-sec

- 2-step speed adjustment
- Lightweight
- Small and handy



- Hand-held system for small and medium-sized working areas
- Spraying of lacquers and glazes
- Removable spray cap
- Paint flow regulation
- Adjustable air cap



## CORDLESS HOT GLUE GUN 18 V



### TE-CG 18 Li

**EXPERT**

- Warm-up period: 120 s
- Max. glueing temperature: 170°C
- Glue stick length / diameter: 200 mm / 11 mm
- Incl.: 5 glue sticks and flat glueing nozzle

Article only available without battery / charger / case

Art. No. 45.222.00

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	14 pcs	18 pcs	22 pcs	28 pcs	36 pcs	44 pcs	50 pcs	72 pcs

<sup>1)</sup> Battery capacity

<sup>2)</sup> Glue sticks 11 mm, length 200 mm – max. number per battery charge



- LED heat level indicator
- Disengageable LED light
- Changeable glueing nozzle

## CORDLESS HOT AIR GUN 18 V

### TE-HA 18 Li

**EXPERT**

- Temperature setting 1 / setting 2: 350 °C / 550 °C
- Air rate: 200 l/min

Incl. reducer nozzle, wide nozzle, reflector nozzle but no battery / charger / case

Art. No. 45.205.00

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	7 min	9 min	11 min	13 min	17 min	22 min	26 min	34 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge – setting 2

- 2 temperature settings
- Mechanical nozzle ejector
- Overheating protection for safe operation
- LED display






## CORDLESS NAILER 18 V

### TE-CN 18 Li

**EXPERT**

- Max. working speed: 20 min<sup>-1</sup>
- Stapel length: 16 - 22 mm
- Nail length: 15 - 32 mm

Incl. 300 nails + 300 staples; article only available without battery / charger / case  
Art. No. 42.577.90

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	1472 pcs	2030 pcs	2670 pcs	3204 pcs	4272 pcs	5554 pcs	6408 pcs	8544 pcs
 <sup>3)</sup>	1459 pcs	1995 pcs	2642 pcs	3171 pcs	4228 pcs	5496 pcs	6342 pcs	8456 pcs

<sup>1)</sup> Battery capacity

<sup>2)</sup> 32 mm nails in softwood at maximum depth setting – max. number per battery charge

<sup>3)</sup> 22 mm staples in softwood at maximum depth setting – max. number per battery charge



- 2-in-1 stapler and nailer combination tool
- Cutting depth adjustment
- Magazine with level indicator
- Allows stapling close to the edge

## USB BATTERY ADAPTER 18 V

### TE-CP 18 Li USB

**EXPERT PLUS**

- USB connections: 2
- Output current USB 1: 1.0 A
- Output current USB 2: 2.1 A

Article only available without battery / charger / case  
Art. No. 45.141.20

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	8 h	12 h	13.5 h	16 h	24 h	32 h	36 h	48 h

<sup>1)</sup> Battery capacity

<sup>2)</sup> Charging time per battery charge

- 2 USB ports
- Charging mobile phones or tablets
- LED operating status indicator



## CORDLESS LIGHTS 18 V




### TE-CL 18/2500 LiAC

**EXPERT**

- Luminosity: 1000 lm / 2500 lm
- Light range: 640 m
- Colour temperature: 6500 K

Article only available without battery / charger / case

Art. No. 45.141.45

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	69 min	85 min	107 min	137 min	183 min	238 min	274 min	366 min
 <sup>3)</sup>	229 min	291 min	341 min	458 min	611 min	794 min	916 min	1222 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Luminous period per battery charge – 2500 lm

<sup>3)</sup> Luminous period per battery charge – 1000 lm



- 2-step luminosity adjustment
- Hybrid function – for use from a 12 V cigarette lighter socket or with a rechargeable battery
- 7 bright LEDs
- ¼" tripod thread



### TE-CL 18/2000 LiAC

**EXPERT**

- Mains connection: 100-240 V ~ 50-60 Hz
- Cable length: 2 m
- Luminosity: 1000 lm / 1500 lm / 2000 lm
- Light source: 20 LEDs

Article only available without battery / charger / case

Art. No. 45.141.14

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	87 min	115 min	145 min	174 min	230 min	300 min	345 min	460 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Luminous period per battery charge

- Hybrid function – for use with a power cable or a rechargeable battery
- 3-step luminosity adjustment
- 360° swivelling lamp head



## CORDLESS LIGHTS 18 V

### TC-CL 18/1800 Li

**CLASSIC**

- Luminosity: 1800 lm
- Light source: 1 LED

Article only available without battery / charger / case

Art. No. 45.141.15

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	90 min	118 min	140 min	191 min	243 min	300 min	350 min	486 min

- 360° swivelling lamp head
- Infinitely variable luminosity
- Folding foot




### TE-CL 18 Li H

**EXPERT PLUS**

- Luminosity: 280 lm
- Light source: 1 LED

Article only available without battery / charger / case

Art. No. 45.141.30

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	8 h	10 h	12 h	16 h	22 h	32 h	33 h	44 h



- High-quality LED of the company Cree Ltd.
- Swivelling lamp head
- Metal hook

<sup>1)</sup> Battery capacity

<sup>2)</sup> Luminous period per battery charge

## CORDLESS RADIO 18 V



### TC-RA 18 Li BT

**CLASSIC**

- AM Frequency: 522 - 1620 kHz
- FM Frequency: 87.5 - 108 MHz
- Station memory (AM / FM): 10 / 10

Article only available without battery / charger / case

Art. No. 34.080.17

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	12 h	16 h	20.5 h	24.5 h	32.5 h	42.5 h	49 h	65 h



- LCD display
- External antenna
- Bluetooth connection for wireless music listening



## CORDLESS SPEAKER 18 V



### TC-SR 18 Li BT

**CLASSIC**

- Power rating: 2x 3 W
- Max. volume: 85 dB
- Product weight: 0.3 kg (excl. battery)

Article only available without battery / charger / case

Art. No. 45.141.50

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	43 h	57 h	72 h	86 h	114 h	148 h	171 h	228 h



- Bluetooth connection for wireless music listening
- USB connection for charging mobile phones etc.
- AUX connection



<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge



## ACCESSORIES – CASES

### E-Box L70

- Items supplied: 1 universal case
- Internal dimensions: 670 x 190 x 300 mm
- External dimensions: 700 x 250 x 350 mm
- Load capacity: 50 kg

Art. No. 45.300.54



### E-Box M55

- Items supplied: 1 universal case
- Internal dimensions: 510 x 327 x 124 mm
- External dimensions: 550 x 400 x 150 mm
- Load capacity: 30 kg

Art. No. 45.300.49



### E-Box S35

- Items supplied: 1 universal case
- Internal dimensions: 310 x 250 x 89.5 mm
- External dimensions: 350 x 330 x 110 mm
- Load capacity: 12 kg

Art. No. 45.300.45



## ACCESSORIES – BAG

### Einhell Bag 45/22

- Items supplied: 1 universal bag
- Internal dimensions: 390 x 200 x 190 mm
- External dimensions: 450 x 220 x 350 mm
- Load capacity: 15 kg

Art. No. 45.300.37



## **E-CASE-SYSTEM** **SYSTEM CASES E-CASE**

- Stackable + locking system
- Splash-proof
- Incl. inlays for lid and base



### **E-Case S-F**

- Items supplied: 1 system case incl. foam inserts
- Internal dimensions: 421 x 281 x 96 mm
- External dimensions: 444 x 330 x 131 mm

Art. No. 45.400.11

### **PRACTICAL LOCKING SYSTEM**



### **THE NEW CASE SYSTEM BY EINHELL: ROBUST AND STACKABLE.**



### **UNMATCHED FOR RUGGEDNESS!**



**25 KG**

Maximum loading of a single case when carried by the handle on the side




**90 KG**

Maximum loading of several cases when carried by the broad handle on the top



**300 KG**

Concentrated loading from above – withstands the weight of one person without difficulty



**1000 KG**

Maximum permissible loading of the case at the bottom of the stack

## SORTING



Art. no. 45.400.11 in combination  
with art. no. 45.400.12

## STORING



Art. no. 45.400.11

## PROTECTING



Art. no. 45.400.11 in combination  
with art. no. 45.400.13


## E-CASE-SYSTEM

### E-CASES ACCESSORIES

#### Set of Plastic Compartments

- Set comprising:
  - 2x long,
  - 3x mid-length,
  - 4x short dividers,
  - 1x adjustable perforated foam inlay

Art. No. 45.400.12



#### Perforated Foam

- 1x adjustable raster foam insert
- Height: 65 mm

Art. No. 45.400.13



## CORDLESS WET AND DRY VACUUM CLEANERS 36 V

### TE-VC 36/30 Li S

**EXPERT PLUS**

- Suction power: 150 mbar / 100 mbar (BOOST / ECO)
- Tank: stainless steel, 30 l
- Nozzles: crevice, upholstery and combination nozzle (1x each)
- Accessories: foam filter, pleated filter and dirt bag (1x each)

Article only available without batteries / chargers Art. No. 23.471.40

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	8 min	11 min	13 min	16 min	22 min	28 min	33 min	44 min
 <sup>3)</sup>	6 min	8 min	10 min	12 min	16 min	21 min	24 min	32 min


For best performance select a battery with at least 3.0 Ah

### TE-VC 36/25 Li S

**EXPERT**

- Suction power: 150 mbar / 100 mbar (BOOST / ECO)
- Tank: stainless steel, 25 l
- Nozzles: crevice, upholstery and combination nozzle (1x each)
- Accessories: foam filter, pleated filter and dirt bag (1x each)

Article only available without batteries / chargers Art. No. 23.471.70

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	8 min	11 min	13 min	16 min	22 min	28 min	33 min	44 min
 <sup>3)</sup>	6 min	8 min	10 min	12 min	16 min	21 min	24 min	32 min

For best performance select a battery with at least 3.0 Ah

- 2 speeds
- Heavy-duty suction hose
- Twin-Pack® Technology



- 2 speeds
- Stainless steel tank, rust-proof and sturdy
- Twin-Pack® Technology



<sup>1)</sup> Battery capacity (2x batteries required)  
<sup>2)</sup> Max. operating time per battery charge in idle mode (ECO mode)  
<sup>3)</sup> Max. operating time per battery charge in idle mode (BOOST mode)

## CORDLESS WET AND DRY VACUUM CLEANERS 18 V

### TC-VC 18/20 Li S

**CLASSIC**

- Suction power: 80 mbar
- Tank: stainless steel, 20 l
- Nozzles: crevice, upholstery and combination nozzle (1x each)
- Accessories: foam filter, pleated filter and dirt bag (1x each)

Article only available without battery / charger Art. No. 23.471.30

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	8 min	10 min	11 min	16 min	20 min	25 min	32 min	40 min

### TC-VC 18/15 Li

**CLASSIC**

- Suction power: 80 mbar
- Tank: plastic, 15 l
- Nozzles: crevice, combination nozzle (1x each)
- Accessories: foam filter, permanent filter and dirt bag (1x each)

Article only available without battery / charger Art. No. 23.471.45

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	8 min	10 min	11 min	16 min	20 min	25 min	32 min	40 min

### TE-VC 18/10 Li

**EXPERT**

- Suction power: 90 mbar
- Tank: plastic, 10 l
- Nozzles: 2-in-1 crevice/brush nozzle and 2-in-1 upholstery/universal nozzle (1x each)
- Accessories: foam filter, permanent filter and dirt bag (1x each)

Article only available without battery / charger Art. No. 23.471.60

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	8 min	10 min	12 min	17 min	21 min	26 min	30 min	42 min

- Stainless steel tank, rust-proof and sturdy
- Blow connector
- Incl. extensive accessories



- Plastic tank – light-weight but impact-proof
- Blow connector
- Incl. extensive accessories

- Extendable hose
- Lightweight and mobile
- Compact design


<sup>1)</sup> Battery capacity (For best performance select a battery with at least 2.5 Ah)

<sup>2)</sup> Max. operating time per battery charge in idle mode

## CORDLESS STICK VAC CLEANER 18 V

### TE-SV 18 Li

**EXPERT**

- Tank volume: 0.6 l
- Speed settings: 2 (ECO/BOOST)
- Cyclone separator: changeable and washable

Article only available without battery / charger Art. No. 23.471.80

Battery capacity <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. operating time per battery charge in idle mode (ECO mode) <sup>2)</sup>	8 min	11 min	13 min	18 min	22 min	28 min	35 min	44 min
Max. operating time per battery charge in idle mode (BOOST mode) <sup>3)</sup>	19 min	25 min	31 min	38 min	50 min	65 min	80 min	100 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode (ECO mode)

<sup>3)</sup> Max. operating time per battery charge in idle mode (BOOST mode)


### EXTENSIVE ACCESSORIES

- 1 Wall bracket**  
for storing the device and the accessories
- 2 Flexible crevice nozzle**  
for vacuuming hard-to-reach areas in the car
- 3 2-in-1 nozzle**  
for slits on the sofa

- **2-in-1 device:**  
hand-held vacuum cleaner  
+ upright vacuum cleaner
- **No dirt bag:** empty the  
dust collection container at  
the push of a button
- **Well illuminated work area**  
thanks to 4 spotlight LEDs

### ALSO AVAILABLE: ACCESSORY SET (23.512.67)

- 4 Hose and universal nozzle**  
for user-friendly cleaning in the  
living-room / car / etc.
- 5 Upholstery nozzle**  
for cushions





Motorised power brush

## CORDLESS HANDHELD VACUUM CLEANER 18 V

### TE-VC 18 Li

**EXPERT PLUS**

- Suction power: 42 mbar
- Tank: plastic, 0.54 l
- Nozzles: crevice, upholstery, floor nozzle (1x each)
- Accessories: wall bracket, extension tube, washable synthesis filter (1x each)

Article only available without battery / charger Art. No. 23.471.20

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	12 min	16 min	18 min	23 min	31 min	40 min	46 min	62 min

- Easy cleaning
- Incl. extensive accessories
- Wall bracket



## CORDLESS ASH VACUUM CLEANER 18 V

### TE-AV 18/15 Li C

**EXPERT**

- Suction power: 100 mbar
- Tank: stainless steel, 15 l
- Accessories: suction tube, pleated filter (1x each)

Article only available without battery / charger Art. No. 23.517.00

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	11 min	15 min	18 min	22 min	30 min	37 min	44 min	60 min

- Filter cleaning system
- Lightweight and mobile
- Metal-reinforced suction hose



<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode



## CORDLESS PUSH SWEEPER 18 V

- Two battery-powered brushes – for excellent cleaning performance even in corners and very smooth running
- Height-adjustable and folding handlebar






### TE-SW 18/610 Li

**EXPERT**

- Max. area coverage: 1800 m<sup>2</sup>/h
- Sweeping width: 610 mm
- Dirt tank: 20 l

Article only available without battery / charger     Art. No. 23.520.40

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	650 m <sup>2</sup>	850 m <sup>2</sup>	1050 m <sup>2</sup>	1300 m <sup>2</sup>	1700 m <sup>2</sup>	2200 m <sup>2</sup>	2550 m <sup>2</sup>	3400 m <sup>2</sup>
 <sup>3)</sup>	21 min	27 min	34 min	41 min	55 min	72 min	83 min	110 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Area coverage at walking speed (3.0 km/h)

<sup>3)</sup> Max. operating time per battery charge in idle mode



## 6-IN-1 CORDLESS HYBRID COMPRESSOR 18 V

### PRESSITO

**EXPERT**

- Mains connection: 220-240 V ~ 50 Hz
- Max. output rate at 0 | 4 | 7 bar: 16 | 10 | 8 l/min
- Max. operating pressure: 11 bar
- Incl.: high pressure hose, low pressure hose and several adapters

Article only available without battery / charger     Art. No. 40.204.60

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	20 min	30 min	37 min	45 min	60 min	85 min	90 min	120 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. high-pressure pump operating time per battery charge



- Hybrid function – for use with a power cable or a rechargeable battery
- Incl. extensive accessories
- High pressure pumping, low pressure pumping/suction






## CORDLESS COMPRESSOR 36 V

### TE-AC 36/6/8 Li Of Set

**EXPERT**

- Suction power: 130 l/min
- Max. output rate at 0 | 4 | 7 bar: 90 | 55 | 38 l/min
- Tank capacity: 6 l
- Max. operating pressure: 8 bar
- Incl.: compressed air hose, blow-out gun, tyre pressure gauge and several adapters

Article only available without battery / charger     Art. No. 40.204.50

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	20 pcs	25 pcs	29 pcs	40 pcs	50 pcs	60 pcs	80 pcs	100 pcs
 <sup>3)</sup>	330 pcs	400 pcs	435 pcs	660 pcs	800 pcs	900 pcs	1320 pcs	1600 pcs

<sup>1)</sup> Battery capacity

<sup>2)</sup> Tank pressure build-up cycles per battery charge

<sup>3)</sup> Soft wood – max. number of staples (13 mm staples) per battery charge

- Oil-free, service-free pump
- Twin-Pack® Technology
- Incl. extensive accessories



## CORDLESS CAR COMPRESSOR

### CE-CC 18 Li-Solo

CAR EXPERT

- Max. output rate at 0 | 4 | 7 bar: 12 | 10 | 8 l/min
- Max. operating pressure: 11 bar
- Incl.: 60 cm compressed air hose and several adapters

Article only available without battery / charger Art. No. 20.710.10

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	32 min	42 min	53 min	63 min	84 min	109 min	126 min	168 min



**NEW**

- Ideal for inflating car tyres, cycle tyres and balls
- Digital pressure display for simple setting of the required pressure up to max. 11 bar
- Manual and automatic pumping with switch-off function

## CORDLESS AIR PUMP

### CE-AP 18 Li-Solo

CAR EXPERT

- Max. delivery rate: 670 l/min
- Max. operating pressure: 0.5 bar
- Incl.: 2 inflation adapters

Article only available without battery / charger Art. No. 20.701.10

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	49 min	65 min	81 min	98 min	130 min	169 min	195 min	260 min

- Ideal for inflating rubber dinghies, air mattresses, leisure articles
- Suitable for deflation by simply replacing the adapter
- Can be used as a workshop blower for cleaning the worktop



**NEW**

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode



## ROBOT LAWN MOWERS

Robot Lawn Mower  
**FREELEXO 750 LCD BT+**



**APP**  
Control via smart phone through Bluetooth



**RAIN SENSOR**  
for lawn-friendly operation



**MULTI-AREA MOWING FUNCTION**  
for complicated gardens



**ECO FUNCTION**  
Constantly saving power – good for the wallet and the environment



**PROGRAMMABLE OPERATING TIME**  
for each specific day



**SPOT MOWING**  
Targeted mowing for hard-to-reach places, such as under garden furniture



**SAFETY SENSOR SYSTEM**  
Impact, lift and tilt sensor for maximum safety



**ANTI-THEFT PROTECTION**  
in form of PIN code and warning signal



**LCD DISPLAY**  
for easier control on the product



**SILENT**  
Your garden – your oasis of silence



**SECOND AREA MOWING**  
Mowing mode for complex gardens with separate areas of grass


## DISCOVER EINHELL'S POWER X-CHANGE ROBOT LAWN MOWERS.

Whether small gardens or large areas of grass, with different Power X-Change robot mower models, accessory kits and setting options you have the right robot for every garden.


There are 2 ways to an individual Freelexo set tailored exactly to your garden:

### TWO WAYS TO GET YOUR FREELEXO

#### COMPLETE PACKAGE



#### SOLO VARIATION



## ROBOT LAWN MOWERS

### FREELEXX

**EXPERT**

- Cutting width: 18 cm
- Cutting height adjustment: infinitely / 20 - 60 mm / central
- Suitable for slopes: up to 35%
- Included in delivery: charging station

Incl. installation accessories (300 m<sup>2</sup>) but no battery

Art. No. 34.139.61

Incl. installation accessories (350 m<sup>2</sup>) and 1 battery (18 V | 2.0 Ah | Li-ion)

Art. No. 34.139.62



- Brushless motor – more power, prolonged operation
- Intuitive keypad
- Programmable operating times
- Energy-efficient thanks to the Eco Mode

### FREELEXX BT

**EXPERT**

- Cutting width: 18 cm
- Cutting height adjustment: infinitely / 20 - 60 mm / central
- Suitable for slopes: up to 35%
- Included in delivery: charging station

Incl. installation accessories (400 m<sup>2</sup>) and 1 battery (18 V | 2.0 Ah | Li-ion)

Art. No. 34.139.48

Incl. installation accessories (450 m<sup>2</sup>) but no battery

Art. No. 34.139.44

Incl. installation accessories (500 m<sup>2</sup>) and 1 battery (18 V | 2.5 Ah | Li-ion)

Art. No. 43.263.63

Incl. installation accessories (600 m<sup>2</sup>) and 1 battery (18 V | 2.5 Ah | Li-ion)

Art. No. 34.139.46

- Brushless motor – more power, prolonged operation
- Individual programming/control via smartphone/APP (Bluetooth)
- Intuitive keypad
- Multi area mowing – for complex gardens



## ROBOT LAWN MOWERS

### FREELEXO LCD BT

**EXPERT**

- Cutting width: 18 cm
- Cutting height adjustment: infinitely / 20 - 60 mm / central
- Suitable for slopes: up to 35%
- Included in delivery: charging station

Incl. installation accessories (800 m<sup>2</sup>) but no battery

Art. No. 34.139.53

Incl. installation accessories (900 m<sup>2</sup>) and 1 battery (18 V | 3.0 Ah | Li-ion)

Art. No. 34.139.55

Incl. installation accessories (1200 m<sup>2</sup>) and

1 battery (18 V | 5.2 Ah | Li-ion)

Art. No. 43.263.68

### FREELEXO LCD BT+

**EXPERT**

- Cutting width: 18 cm
- Cutting height adjustment: infinitely / 20 - 60 mm / central
- Suitable for slopes: up to 35%
- Included in delivery: charging station

Incl. installation accessories (750 m<sup>2</sup>) and 1 battery (18 V | 3.0 Ah | Li-ion)

Art. No. 34.139.81

Incl. installation accessories (500 m<sup>2</sup>) and 1 battery (18 V | 2.5 Ah | Li-ion)

Art. No. 34.139.82



- Brushless motor – more power, prolonged operation
- Individual programming/control via smartphone/APP (Bluetooth)
- Intuitive keypad with LCD display
- Multi area mowing – for complex gardens



- Individual programming/control via smartphone/APP (Bluetooth\*)
- Individual programming/control via smartphone/APP (Bluetooth\*)
- Intuitive keypad with LCD display
- Multi area mowing – for complex gardens
- Special mowing program: Spot Mowing and Border Area Mode
- Energy-efficient thanks to the Eco Mode

\* Larger range thanks to Bluetooth 5.0



## CORDLESS LAWN MOWERS 36 V

### CENTRAL CUTTING HEIGHT ADJUSTMENT

User-friendly and easy cutting height adjustment

### SIDE DISCHARGE

Perfectly suited for use in tall grass

### DOUBLE TWIN-PACK TECHNOLOGY

Longer mowing without recharging

Cordless Lawn Mower  
GP-CM 36/47 S HW Li

**5-IN-1**

MOWING  
MULCHING  
SIDE DISCHARGE  
DEFLECTOR REAR DISCHARGE  
CATCHING

### SOFT GRIP

Ergonomic and fatigue-proof operation

### VARIABLE WHEEL DRIVE

Optimum adjustment of the speed to user requirements and the height of the grass

### 75 L NYLON CATCH BAG WITH FILL LEVEL INDICATOR

Optimum catching and filling characteristics

### STEEL DECK

Exceptionally sturdy, robust and long-lasting

### LAWN-FRIENDLY REAR WHEELS

The specially developed high and wide rear wheel with broad surface area are gentle on the grass and enable cutting over rough terrain




### GP-CM 36/47 S HW Li

**PROFESSIONAL**

- Cutting width / for lawn areas of up to approx.: 47 cm / bis 700 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 30 - 65 mm / central

Incl. 4 batteries (18 V | 4.0 Ah | Li-Ion) and 2 Twinchargers

Art. No. 34.132.00

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	125 m <sup>2</sup>	175 m <sup>2</sup>	215 m <sup>2</sup>	250 m <sup>2</sup>	350 m <sup>2</sup>	500 m <sup>2</sup>	600 m <sup>2</sup>	700 m <sup>2</sup>
 <sup>3)</sup>	250 m <sup>2</sup>	350 m <sup>2</sup>	430 m <sup>2</sup>	500 m <sup>2</sup>	700 m <sup>2</sup>	1000 m <sup>2</sup>	1200 m <sup>2</sup>	1400 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah

<sup>1)</sup> Battery capacity (2x batteries required)

<sup>2)</sup> Max. lawn area that can be mown per battery charge with 2 batteries (The stated area coverage is based on the assumption of ideal conditions)

<sup>3)</sup> Max. lawn area that can be mown per battery charge with 4 batteries (The stated area coverage is based on the assumption of ideal conditions)



**DOUBLE TWINPACK TECHNOLOGY**

### DOUBLE TWINPACK TECHNOLOGY

Double Twinpack devices have slots for two additional rechargeable batteries. If, for example, two additional batteries are inserted in the GP-CM 36/47 S HW Li lawn mower, such that all four rechargeable battery slots are filled, you can mow double the area without recharging.

Example (GP-CM 36/47 S HW Li):  
Twinpack 2x 18 V = 350 m<sup>2</sup>  
Double Twinpack 2x 18 V + 2x 18 V = 350 m<sup>2</sup> + 350 m<sup>2</sup> = 700 m<sup>2</sup>



### BRUSHLESS MOTOR

More power and longer operating times








## CORDLESS LAWN MOWERS 36 V

### GE-CM 36/48 Li M

**EXPERT**

- Cutting width: 48 cm
- For lawn areas of up to approx.: 1000 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 30 - 75 mm / axial

Article only available without batteries / chargers Art. No. 34.130.54

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	150 min	250 m <sup>2</sup>	260 m <sup>2</sup>	300 m <sup>2</sup>	500 m <sup>2</sup>	600 m <sup>2</sup>	700 m <sup>2</sup>	1000 m <sup>2</sup>
 <sup>3)</sup>	300 m <sup>2</sup>	500 m <sup>2</sup>	520 m <sup>2</sup>	600 m <sup>2</sup>	1000 m <sup>2</sup>	1200 m <sup>2</sup>	1400 m <sup>2</sup>	2000 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah

<sup>1)</sup> Battery capacity (2x batteries required)

<sup>2)</sup> Max. lawn area that can be mown per battery charge with 2 batteries

<sup>3)</sup> Max. lawn area that can be mown per battery charge with 4 batteries

(The stated area coverage is based on the assumption of ideal conditions)

### GE-CM 36/43 Li M

**EXPERT**

- Cutting width: 43 cm
- For lawn areas of up to approx.: 600 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 - 75 mm / central

Incl. 2 batteries (18 V | 4.0 Ah | Li-Ion) and 2 chargers

Art. No. 34.132.40

Article without batteries / chargers

Art. No. 34.132.46

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	225 m <sup>2</sup>	300 m <sup>2</sup>	350 m <sup>2</sup>	450 m <sup>2</sup>	600 m <sup>2</sup>	750 m <sup>2</sup>	900 m <sup>2</sup>	1200 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah

<sup>1)</sup> Battery capacity (2x batteries required)

<sup>2)</sup> Max. lawn area that can be mown per battery charge

(The stated area coverage is based on the assumption of ideal conditions)

- Brushless motor – more power, prolonged operation
- 2-in-1 function: mowing and side discharge
- No catch bag included – natural fertilisation



**NEW**



- Brushless motor – more power, prolonged operation
- 3-in-1 function: mowing, mulching, catching
- Individually adjustable long handle



## CORDLESS LAWN MOWERS 36 V



- Brushless motor – more power, prolonged operation
- 3-in-1 function: mowing, mulching, catching
- Telescopic long handle



### RASARRO 36/42

**PROFESSIONAL**

- Cutting width: 42 cm
- For lawn areas of up to approx.: 550 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 - 75 mm / central

Incl. 2 batteries (18 V | 4.0 Ah | Li-Ion) and 1 Twincharger  
Art. No. 34.132.70

<sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	250 m <sup>2</sup>	300 m <sup>2</sup>	350 m <sup>2</sup>	450 m <sup>2</sup>	550 m <sup>2</sup>	725 m <sup>2</sup>	875 m <sup>2</sup>	1100 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah

<sup>1)</sup> Battery capacity (2x batteries required)

<sup>2)</sup> Max. lawn area that can be mown per battery charge  
(The stated area coverage is based on the assumption of ideal conditions)



### TWIN-PACK® TECHNOLOGY

If a device needs more power than provided by a single 18 V rechargeable battery, we simply add a second battery so we generate 18 V + 18 V = 36 V. We call that Twin-Pack® Technology. If the voltage (V) gets doubled, the power (W) gets doubled, too.





## CORDLESS LAWN MOWERS 36 V

### GP-CM 36/41 Li

**PROFESSIONAL**

- Cutting width: 41 cm
- For lawn areas of up to approx.: 500 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 - 75 mm / central

Article only available without batteries / chargers Art. No. 34.132.75

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	220 m <sup>2</sup>	280 m <sup>2</sup>	330 m <sup>2</sup>	425 m <sup>2</sup>	500 m <sup>2</sup>	700 m <sup>2</sup>	850 m <sup>2</sup>	1000 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah

### RASARRO 36/38

**PROFESSIONAL**

- Cutting width: 38 cm
- For lawn areas of up to approx.: 450 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 - 75 mm / central

Incl. 2 batteries (18 V | 4.0 Ah | Li-Ion) and 1 Twincharger

Art. No. 34.131.80

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	250 m <sup>2</sup>	300 m <sup>2</sup>	330 m <sup>2</sup>	400 m <sup>2</sup>	450 m <sup>2</sup>	700 m <sup>2</sup>	800 m <sup>2</sup>	900 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah



- Brushless motor – more power, prolonged operation
- Individually adjustable long handle
- Grass box with level indicator



- Brushless motor – more power, prolonged operation
- 3-in-1 function: mowing, mulching, catching
- Telescopic long handle



<sup>1)</sup> Battery capacity (2x batteries required)

<sup>2)</sup> Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

## CORDLESS LAWN MOWERS 36 V

### GE-CM 36/37 Li

**EXPERT**

- Cutting width: 37 cm
- For lawn areas of up to approx.: 400 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 - 75 mm / central

Incl. 2 batteries (18 V | 3.0 Ah | Li-Ion) and 2 chargers

Art. No. 34.131.70

Without batteries / chargers

Art. No. 34.131.72

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	200 m <sup>2</sup>	250 m <sup>2</sup>	290 m <sup>2</sup>	400 m <sup>2</sup>	450 m <sup>2</sup>	650 m <sup>2</sup>	800 m <sup>2</sup>	900 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah



- Ergonomic handle
- Individually adjustable long handle
- Grass box with level indicator



### GE-CM 36/36 Li

**EXPERT**

- Cutting width: 36 cm
- For lawn areas of up to approx.: 400 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 - 75 mm / central

Incl. 2 batteries (18 V | 4.0 Ah | Li-Ion) and 2 chargers

Art. No. 34.132.30

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	175 m <sup>2</sup>	250 m <sup>2</sup>	270 m <sup>2</sup>	350 m <sup>2</sup>	400 m <sup>2</sup>	600 m <sup>2</sup>	700 m <sup>2</sup>	960 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah

- Brushless motor – more power, prolonged operation
- Individually adjustable long handle
- Grass box with level indicator



<sup>1)</sup> Battery capacity (2x batteries required)  
<sup>2)</sup> Max. lawn area that can be mown per battery charge  
 (The stated area coverage is based on the assumption of ideal conditions)

## CORDLESS LAWN MOWERS 36 V

### GE-CM 36/34-1 Li

**EXPERT**

- Cutting width: 33.5 cm
- For lawn areas of up to approx.: 300 m<sup>2</sup>
- Cutting height adjustment: 5 levels / 25 - 65 mm / central

Article only available without batteries / chargers Art. No. 34.132.26

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	150 m <sup>2</sup>	200 m <sup>2</sup>	250 m <sup>2</sup>	300 m <sup>2</sup>	400 m <sup>2</sup>	500 m <sup>2</sup>	600 m <sup>2</sup>	800 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah



- Ergonomic handle
- Individually adjustable long handle
- Grass box with level indicator



### GE-CM 36/33 Li

**EXPERT**

- Cutting width: 33 cm
- For lawn areas of up to approx.: 250 m<sup>2</sup>
- Cutting height adjustment: 5 levels / 25 - 65 mm / central

Incl. 2 batteries (18 V | 2.5 Ah | Li-Ion) and 2 chargers

Art. No. 34.132.10

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	150 m <sup>2</sup>	200 m <sup>2</sup>	250 m <sup>2</sup>	300 m <sup>2</sup>	400 m <sup>2</sup>	500 m <sup>2</sup>	600 m <sup>2</sup>	800 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah

- Individually adjustable long handle
- Integrated carry handle
- Grass box with level indicator



<sup>1)</sup> Battery capacity (2x batteries required)

<sup>2)</sup> Max. lawn area that can be mown per battery charge  
(The stated area coverage is based on the assumption of ideal conditions)

## CORDLESS LAWN MOWERS 18 V

### GE-CM 18/33 Li

**EXPERT**

- Cutting width: 33 cm
- For lawn areas of up to approx.: 200 m<sup>2</sup>
- Cutting height adjustment: 5 levels / 25 - 65 mm / central

Incl. 1 battery (18 V | 4.0 Ah | Li-Ion) and 1 charger Art. No. 34.132.60

Without battery / charger Art. No. 34.132.66

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	50 m <sup>2</sup>	100 m <sup>2</sup>	140 m <sup>2</sup>	180 m <sup>2</sup>	250 m <sup>2</sup>	300 m <sup>2</sup>	350 m <sup>2</sup>	500 m <sup>2</sup>

For best performance select a battery with at least 2.5 Ah

### GE-CM 18/32 Li

**EXPERT**

- Cutting width: 32 cm
- For lawn areas of up to approx.: 180 m<sup>2</sup>
- Cutting height adjustment: 3 levels / 30 - 70 mm / axial

Article only available without battery / charger Art. No. 34.132.56

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	50 m <sup>2</sup>	100 m <sup>2</sup>	140 m <sup>2</sup>	180 m <sup>2</sup>	250 m <sup>2</sup>	300 m <sup>2</sup>	350 m <sup>2</sup>	500 m <sup>2</sup>

For best performance select a battery with at least 2.5 Ah

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. lawn area that can be mown per battery charge  
(The stated area coverage is based on the assumption of ideal conditions)



**BRUSHLESS ENERGY**  
**Einhell**

- Brushless motor – more power, prolonged operation
- Individually adjustable long handle
- Grass box with level indicator



**BRUSHLESS ENERGY**  
**Einhell**

- Brushless motor – more power, prolonged operation
- Individually adjustable long handle
- Grass box with level indicator

## CORDLESS LAWN MOWERS 18 V

### GE-CM 18/30 Li

**EXPERT**

- Cutting width: 30 cm
- For lawn areas of up to approx.: 150 m<sup>2</sup>
- Cutting height adjustment: 3 levels / 30 - 70 mm / axial

Incl. 1 battery (18 V | 3.0 Ah | Li-Ion) and 1 charger Art. No. 34.131.55

Without battery / charger Art. No. 34.131.57

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	30 m <sup>2</sup>	70 m <sup>2</sup>	100 m <sup>2</sup>	150 m <sup>2</sup>	210 m <sup>2</sup>	270 m <sup>2</sup>	300 m <sup>2</sup>	420 m <sup>2</sup>

For best performance select a battery with at least 2.5 Ah



- Brushless motor – more power, prolonged operation
- Folding handlebar
- Integrated carry handle

## CORDLESS PUSH REEL MOWER 18 V

### GE-HM 18/38 Li

**EXPERT**

- Cutting width: 38 cm
- Cutting height adjustment: 4 levels / 14 - 38 mm
- Grass box capacity: 45 l

Article only available without battery / charger Art. No. 34.142.00

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	100 m <sup>2</sup>	150 m <sup>2</sup>	190 m <sup>2</sup>	250 m <sup>2</sup>	300 m <sup>2</sup>	400 m <sup>2</sup>	450 m <sup>2</sup>	600 m <sup>2</sup>

For best performance select a battery with at least 2.5 Ah

- Contactless cutting technology
- Adjustable rear deflector
- 2-in-1 function: battery + manual



<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. lawn area that can be mown per battery charge  
(The stated area coverage is based on the assumption of ideal conditions)

## PETROL LAWN MOWER (POWER X-CHANGE ELECTRIC START)

- 3-in-1 function
- Wheeldrive
- Mulching function





### GC-PM 46 SM HW-E Li

**CLASSIC**

- Engine / displacement / power: 4-stroke, 146 cm<sup>3</sup>, 2.0 kW
- Cutting width: 46 cm
- For lawn areas of up to approx.: 1400 m<sup>2</sup>
- Cutting height adjustment: 9 levels / 25 - 80 mm / central

Incl. 1 battery (18 V | 2.0 Ah | Li-Ion) and 1 charger (3 A)

Art. No. 34.075.60

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	145 starts	193 starts	242 starts	290 starts	386 starts	502 starts	580 starts	772 starts

<sup>1)</sup> Battery capacity

<sup>2)</sup> Rechargeable batteries with a higher energy content or higher capacity enable correspondingly more starts  
The possible number of starts is dependent on various influencing factors, e.g. temperature of the motor, ambient temperature, etc.



### POWER X-CHANGE ELECTRIC START

Easy-to-start petrol engine thanks to the electric start function with the assistance of the Power X-Change battery system – at just the push of a button:

- None of the hassle of starting up with a pull starter
- The rechargeable battery can also be used for other Power X-Change products





## CORDLESS SCARIFIERS/AERATORS 36 V

### GE-SC 35/1 Li

**EXPERT**

- Working width: 35 cm
- For lawn areas of up to approx.: 400 m<sup>2</sup>
- Working depth adjustment: 3 levels (3 / 6 / 9 mm) + transport position (-3 mm)
- Number of scarifying blades: 16 pcs

Article only available without batteries / chargers Art. No. 34.206.50

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	115 m <sup>2</sup>	150 m <sup>2</sup>	190 m <sup>2</sup>	225 m <sup>2</sup>	300 m <sup>2</sup>	400 m <sup>2</sup>	-	-

For best performance select batteries with at least 2.5 Ah

### GC-SC 36/31 Li

**CLASSIC**

- Working width: 31 cm
- For lawn areas of up to approx.: 350 m<sup>2</sup>
- Working depth adjustment: 3 levels (3 / 6 / 9 mm) + transport position (-3 mm)
- Number of scarifying blades: 8 double-knives

Article only available without batteries / chargers Art. No. 34.206.60

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	80 m <sup>2</sup>	100 m <sup>2</sup>	130 m <sup>2</sup>	200 m <sup>2</sup>	250 m <sup>2</sup>	300 m <sup>2</sup>	350 m <sup>2</sup>	500 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah



- Brushless motor – more power, prolonged operation
- Optional extensible with aerator roller and catch bag
- Individually adjustable long handle



- Optional extensible with aerator roller and catch bag
- Height-adjustable handlebar
- Integrated carry handle



<sup>1)</sup> Battery capacity (2x batteries required)

<sup>2)</sup> Max. lawn area that can be scarified per battery charge  
(The stated area coverage is based on the assumption of ideal conditions)

## CORDLESS SCARIFIERS/AERATOR 18 V

### GC-SC 18/28 Li

**CLASSIC**

- Working width: 28 cm
- For lawn areas of up to approx.: 200 m<sup>2</sup>
- Working depth adjustment: 3 levels (2 / 4 / 6 mm) + transport position (-2 mm)
- Number of scarifying blades: 12 rotating blades

Article only available without battery / charger Art. No. 34.206.04

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	60 m <sup>2</sup>	80 m <sup>2</sup>	100 m <sup>2</sup>	120 m <sup>2</sup>	160 m <sup>2</sup>	210 m <sup>2</sup>	240 m <sup>2</sup>	350 m <sup>2</sup>

For best performance select a battery with at least 2.5 Ah

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. lawn area that can be scarified per battery charge

(The stated area coverage is based on the assumption of ideal conditions)



- Brushless motor – more power, prolonged operation
- Optional extensible with aerator roller and catch bag
- Individually adjustable long handle




## CORDLESS UNIVERSAL SPREADER 18 V

### GE-US 18 Li

**EXPERT**

- Capacity: 3.3 l
- Spread width: max. 5 m
- Suitable for: fertiliser, grass seed and salt

Article only available without battery / charger Art. No. 34.154.10

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	2 h	3 h	4 h	6 h	7 h	9 h	10 h	14 h

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge

- Electronic speed control (6 settings)
- Flow rate adjustment (8-stage)
- Adjustable spread width



## CORDLESS TILLER 36 V

### GE-CR 30 Li

**EXPERT**

- Working width: 30 cm
- Working depth: 20 cm
- Number of blades: 4 pcs

Article only available without batteries / chargers Art. No. 34.312.00

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	15 min	20 min	21 min	25 min	35 min	50 min	60 min	70 min

For best performance select batteries with at least 2.5 Ah

<sup>1)</sup> Battery capacity (2x batteries required)

<sup>2)</sup> Max. operating time per battery charge in idle mode



- Height-adjustable wheels for easy transportation
- Ergonomic handlebar
- Folding handlebar

**TWIN-PACK®**  
18V + 18V > 36V  
TECHNOLOGY



## CORDLESS TILLER 18 V

### GE-CR 18/20 Li E

**EXPERT**

- Working width: 20 cm
- Working depth: 20 cm
- Number of blades: 4 pcs

Article only available without battery / charger Art. No. 34.312.10

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	20-25 min	20-35 min	30-40 min	40-50 min	50-70 min	70-90 min	80-100 min	100-140 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode

- Electronic speed control
- Height adjustable additional handle
- Split shaft

**NEW**





## CORDLESS EARTH AUGER 18 V

### GP-EA 18/150 Li BL

**PROFESSIONAL**

- Drilling diameter: 150 mm
- Drill bit length: 800 mm
- Speed: 125 min<sup>-1</sup>

Article only available without battery / charger Art. No. 34.370.00

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	10 pcs	15 pcs	20 pcs	30 pcs	40 pcs	50 pcs	60 pcs	80 pcs

For best performance select a battery with at least 2.5 Ah

<sup>1)</sup> Battery capacity

<sup>2)</sup> Bohren in normalen bis weichen Untergrund (40 cm Tiefe)

## CORDLESS SNOW THROWER 18 V

### GE-ST 36/40 Li E

**EXPERT**

- Working width: 40 cm
- Max. snow height: 20 cm
- Throwing distance max.: 6 m

Article only available without battery / charger Art. No. 34.170.11

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	15 min	20 min	25 min	30 min	40 min	50 min	60 min	80 min

For best performance select batteries with at least 4.0 Ah

<sup>1)</sup> Battery capacity (2x batteries required)

<sup>2)</sup> Max. operating time per battery charge in idle mode



**NEW**

- Brushless motor – more power, prolonged operation
- Clockwise and counter-clockwise operation
- Robust steel frame

**BRUSHLESS ENERGY**  
Einhell



**NEW**

- Brushless motor – more power, prolonged operation
- Snow ejection direction adjustable
- Electronic speed control (6 settings)
- Integrated carry handle

**TWIN-PACK**  
18V ↔ 36V  
TECHNOLOGY




## CORDLESS SCYTHER 36 V

### AGILLO 36/255 BL

**EXPERT**

- Cutting width blade / thread: 25.5 cm / 30 cm
- Thread diameter: 2.0 mm
- Thread length: 8 m
- Incl.: line spool and 3-teeth blade

Article only available without batteries / chargers Art. No. 34.113.20

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	20 min	30 min	35 min	45 min	65 min	80 min	90 min	130 min
 <sup>3)</sup>	15 min	25 min	28 min	35 min	45 min	60 min	70 min	90 min

For best performance select batteries with at least 2.5 Ah

<sup>1)</sup> Battery capacity (2x batteries required)

<sup>2)</sup> Max. operating time per battery charge in idle mode (blade)

<sup>3)</sup> Max. operating time per battery charge in idle mode (thread spool)



- Brushless motor – more power, prolonged operation
- Spindle Lock
- Ergonomic and low-vibration bike handle






## CORDLESS SCYTHER 18 V

### AGILLO 18/200

**EXPERT**

- Cutting width blade / thread: 20 cm / 30 cm
- Thread diameter: 2.0 mm
- Thread length: 8 m
- Incl.: line spool and 3-teeth blade

Article only available without battery / charger Art. No. 34.113.10

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	15 min	20 min	25 min	35 min	50 min	65 min	75 min	100 min
 <sup>3)</sup>	10 min	12 min	15 min	20 min	30 min	45 min	55 min	60 min

For best performance select a battery with at least 2.5 Ah

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode (blade)

<sup>3)</sup> Max. operating time per battery charge in idle mode (thread spool)

- Ergonomic and low-vibration bike handle
- Spindle Lock
- High-quality comfort carrying belt



## CORDLESS LAWN TRIMMER 36 V

### GE-CT 36/30 Li E

**EXPERT**

- Cutting width: 30 cm
- Thread diameter: 2.0 mm
- Thread length: 8 m

Article only available without batteries / chargers Art. No. 34.113.00

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	20 min	30 min	38 min	45 min	60 min	75 min	90 min	120 min

For best performance select batteries with at least 2.5 Ah

<sup>1)</sup> Battery capacity (2x batteries required)

<sup>2)</sup> Max. operating time per battery charge in idle mode

## CORDLESS LAWN TRIMMERS 18 V

### GE-CT 18/30 Li

**EXPERT**

- Cutting width: 30 cm
- Thread diameter: 1.6 mm
- Thread length: 5 m

Article only available without battery / charger Art. No. 34.112.50

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	20 min	30 min	38 min	45 min	60 min	75 min	90 min	120 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode

- Infinitely adjustable long handle
- Bump feed system
- Split shaft

**TWIN-PACK**  
18V → 36V  
TECHNOLOGY

- Telescopic long handle
- Motor head rotatable and tiltable
- Bump feed system

**NEW**



## CORDLESS LAWN TRIMMERS 18 V

- Incl. trimmer cart („City“ Lawn Mower)
- Motor head rotatable and tiltable
- Automatic feeding line spool



**NEW**

### GE-CT 18/28 Li TC

**EXPERT**

- Cutting width: 28 cm
- Thread diameter: 1.6 mm
- Thread length: 5 m

Article only available without battery / charger     Art. No. 34.112.12

Battery capacity	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. operating time per battery charge in idle mode	30 min	40 min	45 min	50 min	60 min	70 min	90 min	120 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode



## CORDLESS LAWN TRIMMERS 18 V

### GE-CT 18/28 Li

**EXPERT**

- Cutting width: 28 cm
- Thread diameter: 1.6 mm
- Thread length: 5 m

Article only available without battery / charger Art. No. 34.112.42

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	30 min	40 min	45 min	50 min	60 min	70 min	90 min	120 min

### GE-CT 18 Li

**EXPERT**

- Cutting width: 24 cm
- Incl.: box with 20 plastic blades

Incl. 1 battery (18 V | 2.0 Ah | Li-Ion) and 1 charger Art. No. 34.111.97

Without battery / charger Art. No. 34.111.72

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	40 min	55 min	65 min	80 min	125 min	160 min	180 min	250 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode



**NEW**

- Telescopic long handle
- Motor head rotatable and tiltable
- Automatic feeding line spool



- Infinitely adjustable long handle
- Motor head rotatable and tiltable
- Flower guard



## CORDLESS LAWN TRIMMERS 18 V

### GC-CT 18/24 Li

**CLASSIC**

- Cutting width: 24 cm
- Incl.: 20 plastic blades

Incl. 1 battery (18 V | 2.0 Ah | Li-Ion) and 1 charger Art. No. 34.111.25

Without battery / charger Art. No. 34.111.23

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	40 min	55 min	65 min	80 min	125 min	160 min	180 min	250 min

### GC-CT 18/24 Li P

**CLASSIC**

- Cutting width: 24 cm
- Incl.: 20 plastic blades

Incl. 1 battery (18 V | 1.5 Ah | Li-Ion) and 1 charger Art. No. 34.111.02

Without battery / charger Art. No. 34.111.04

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	40 min	55 min	65 min	80 min	125 min	160 min	180 min	250 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode



- Infinitely adjustable long handle
- Telescopic long handle, infinitely adjustable
- Flower guard



- Compact design
- Lightweight
- Additional handle

## CORDLESS LAWN EDGE TRIMMER 18 V

### GE-LE 18/190 Li

**EXPERT**

- Min. cutting depth: 36.5 mm
- Max. cutting depth: 45 mm
- Blade length: 190 mm
- Cutting depth settings: 36.5 / 40 / 45 mm

Article only available without battery / charger Art. No. 34.243.00

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	20 min	25 min	33 min	45 min	55 min	65 min	75 min	110 min

- 3-steps cutting depth adjustment
- Split shaft
- Guide wheels – accurate working progress



## CORDLESS GROUT CLEANER 18 V

### GC-CC 18 Li

**CLASSIC**

- Charging time / running time: 40 / 45 min
- Diameter of brush: 10 cm
- Incl.: 1 steel brush (15 mm) and 1 nylon brush (10 mm)

Incl. 1 battery (18 V | 2.0 Ah | Li-Ion) and 1 charger Art. No. 34.240.51

Without battery / charger Art. No. 34.240.50

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	30 min	45 min	50 min	60 min	90 min	120 min	135 min	180 min

- Changeable brushes
- Guide wheel
- Infinitely adjustable additional handle



<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode

# CORDLESS SURFACE BRUSH 18 V


## PICOBELLA

**EXPERT**

- Max. working width: 215 mm
- Diameter of brush: 115 mm
- Idle speed: 800 - 1400 min<sup>-1</sup>
- 2-in-1 function: wet and dry cleaning

Incl. brush MEDIUM but no battery / charger Art. No. 34.242.00


Incl. brush SOFT but no battery / charger Art. No. 34.242.01

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	8-25 min	10-30 min	12-34 min	17-46 min	20-55 min	25-70 min	29-90 min	40-110 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode

- Just one work step for thorough, complete wet cleaning thanks to the integrated garden hose connection
- A special side brush is suitable for perimeter work right up to the edge
- Changeable brushes



### PERFECT BRUSHES FOR EVERY SURFACE.



#### Brush SOFT

- Wood / WPC / BPC
- Artificial turf



#### Brush MEDIUM

- Smooth stone e.g. tiles/concrete
- Incl. side brush for cleaning right to the wall and into edges)



#### Brush ULTRA

- Rough stone
- Robust stone e.g. granite/porphyry



#### Side Brush ULTRA

- Rough stone
- Robust stone e.g. granite/porphyry
- Incl. side brush for cleaning right to the wall and into edges)



More information and further articles can be found on our website

[www.einhell.de](http://www.einhell.de)

## CORDLESS HEDGE TRIMMERS 36 V

**TWIN-PACK<sup>®</sup>**  
**18V → 18V → 36V**  
**TECHNOLOGY**



- Turnable rear handle
- Laser-cut and diamond-ground blades
- Metal gear box

### GE-CH 36/65 Li

**EXPERT**

- Bar length / cutting length: 720 mm / 650 mm
- Spacing between teeth: 30 mm

Article only available without batteries / chargers Art. No. 34.109.60

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	60 min	75 min	93 min	120 min	150 min	180 min	225 min	300 min

<sup>1)</sup> Battery capacity (2x batteries required)

<sup>2)</sup> Max. operating time per battery charge in idle mode

## CORDLESS HEDGE TRIMMERS 36 V

### GE-CH 36/61 Li

**EXPERT**

- Bar length / cutting length: 670 mm / 610 mm
- Spacing between teeth: 26 mm

Article only available without batteries / chargers Art. No. 34.109.65

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	54 min	72 min	80 min	105 min	144 min	168 min	210 min	288 min

<sup>1)</sup> Battery capacity (2x batteries required)

<sup>2)</sup> Max. operating time per battery charge in idle mode



TWIN-PACK®  
18V → 36V  
TECHNOLOGY

- Laser-cut and diamond-ground blades
- Metal gear box
- Cutting collector

**NEW**

## CORDLESS HEDGE TRIMMERS 18 V

### GE-CH 18/60 Li

**EXPERT**

- Bar length / cutting length: 670 mm / 600 mm
- Spacing between teeth: 22 mm

Article only available without battery / charger Art. No. 34.109.30

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	35 min	45 min	53 min	70 min	90 min	110 min	135 min	180 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode



- Turnable rear handle
- Laser-cut and diamond-ground blades
- Metal gear box

## CORDLESS HEDGE TRIMMERS 18 V

### ARCURRA 18/55

**EXPERT**

- Bar length / cutting length: 620 mm / 550 mm
- Spacing between teeth: 18 mm

Article only available without battery / charger Art. No. 34.109.20

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	35 min	45 min	53 min	70 min	90 min	110 min	135 min	180 min



- Laser-cut and diamond-ground blades
- Cutting collector
- Metal gear box

### GC-CH 1855/1 Li

**CLASSIC**

- Bar length / cutting length: 620 mm / 550 mm
- Spacing between teeth: 18 mm

Incl. 1 battery (18 V | 2.5 Ah | Li-Ion) and 1 charger Art. No. 34.105.06

Without battery / charger Art. No. 34.105.02

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	60 min	80 min	100 min	120 min	160 min	210 min	240 min	320 min



- Turnable rear handle
- Laser-cut and diamond-ground blades
- Metal gear box

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode

## CORDLESS HEDGE TRIMMERS 18 V

### GC-CH 1846 Li

**CLASSIC**

- Bar length / cutting length: 520 mm / 460 mm
- Spacing between teeth: 15 mm

Incl. 1 battery (18 V | 2.0 Ah | Li-Ion) and 1 charger Art. No. 34.106.83

Without battery / charger Art. No. 34.106.42

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	60 min	80 min	100 min	120 min	160 min	210 min	240 min	320 min



- Low weight for user-friendly operation
- Laser-cut and diamond-ground blades
- Metal gear box

### GC-CH 18/40 Li

**CLASSIC**

- Bar length / cutting length: 475 mm / 400 mm
- Spacing between teeth: 13 mm

Article only available without battery / charger Art. No. 34.109.40

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	40 min	53 min	67 min	80 min	106 min	139 min	160 min	212 min



- Low weight for user-friendly operation
- Laser-cut and diamond-ground blades
- Metal gear box

**NEW**

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode



## CORDLESS MULTIFUNCTIONAL TOOL 36 V



- Attachment change without tools
- Adjustable second handle
- Laser-cut and diamond-ground blades








FITTED WITH  
**OREGON**  
CHAIN AND BAR

### GE-LM 36/4in1 Li

**EXPERT**

- Bar length (chainsaw): 200 mm
- Chain cutting speed: 10 m/s
- Blade length of hedge trimmer: 450 mm
- Spacing between teeth (hedge trimmer): 24 mm
- Cutting width line spool / 3-teeth blade: 33 cm / 25.5 cm

Article only available without batteries / chargers Art. No. 34.109.01

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	26 min	34 min	41 min	54 min	68 min	86 min	108 min	136 min
 <sup>3)</sup>	20 min	27 min	33 min	44 min	54 min	66 min	88 min	108 min
 <sup>4)</sup>	20 min	28 min	33 min	40 min	56 min	66 min	80 min	112 min
 <sup>5)</sup>	60 pcs	80 pcs	100 pcs	120 pcs	160 pcs	200 pcs	240 pcs	320 pcs

<sup>1)</sup> Battery capacity (2x batteries required)

<sup>2)</sup> Max. operating time per battery charge in idle mode (scythe)

<sup>3)</sup> Max. operating time per battery charge in idle mode (lawn trimmer)

<sup>4)</sup> Max. operating time per battery charge in idle mode (telescopic hedge trimmer)

<sup>5)</sup> Max. cuts through 70 x 70 mm square timber per battery charge (pole-mounted pruner)



## CORDLESS MULTIFUNCTIONAL TOOL 18 V




### GE-HC 18 Li T

**EXPERT**

- Bar length (chainsaw): 200 mm
- Chain cutting speed: 3.76 m/s
- Max. cutting length hedge trimmer: 450 mm
- Spacing between teeth (hedge trimmer): 16 mm

Incl. 1 battery (18 V | 3.0 Ah | Li-Ion) and 1 charger Art. No. 34.108.05

Without battery / charger Art. No. 34.108.00

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	30 pcs	40 pcs	48 pcs	60 pcs	75 pcs	100 pcs	120 pcs	150 pcs
 <sup>3)</sup>	20 min	30 min	35 min	40 min	60 min	75 min	80 min	120 min

For best performance select a battery with at least 2.5 Ah

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. cuts through 70 x 70 mm square timber per battery charge (pole-mounted pruner)

<sup>3)</sup> Max. operating time per battery charge in idle mode (telescopic hedge trimmer)

## CORDLESS POLE-MOUNTED PRUNERS ACCESSORIES

### Hedge Trimmer

**ACCESSORY**

- Can be used for: GE-LC 18 Li T

Art. No. 34.108.18



FITTED WITH  
**OREGON**  
CHAIN AND BAR



- Toolless chain tensioning and changing
- Main handle + motor head tiltable by several settings
- Metal gear box

## CORDLESS TELESCOPIC HEDGE TRIMMERS ACCESSORIES

### Pole Pruner

**ACCESSORY**

- Can be used for: GE-HH 18/45 Li T

Art. No. 34.108.35





## CORDLESS POLE-MOUNTED PRUNERS 18 V

### GE-LC 18 Li T


**EXPERT**

- Bar length / cutting length: 200 mm / 170 mm
- Cutting speed: 3.76 m/s

Article only available without battery / charger Art. No. 34.108.10

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	30 pcs	40 pcs	48 pcs	60 pcs	75 pcs	100 pcs	120 pcs	150 pcs

For best performance select a battery with at least 2.5 Ah



FITTED WITH  
**OREGON**  
CHAIN AND BAR



- 90° swivel attachment for horizontal cuts
- Main handle + motor head tiltable by several settings
- Toolless chain tensioning and changing

### GC-LC 18/20 Li T

**CLASSIC**

- Bar length / cutting length: 200 mm / 195 mm
- Cutting speed: 5.5 m/s

Article only available without battery / charger Art. No. 34.105.81

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	37 pcs	50 pcs	65 pcs	75 pcs	100 pcs	130 pcs	155 pcs	200 pcs

For best performance select a battery with at least 2.5 Ah

- Telescopic aluminium handle with extension
- Automatic chain lubrication
- Metal gear box



FITTED WITH  
**OREGON**  
CHAIN AND BAR

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. cuts through 70 x 70 mm square timber per battery charge

## CORDLESS TELESCOPIC HEDGE TRIMMERS 18 V


### GE-HH 18/45 Li T

**EXPERT**

- Bar length / cutting length: 450 mm / 400 mm
- Spacing between teeth: 16 mm

Article only available without battery / charger    Art. No. 34.108.66

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	20 min	30 min	35 min	40 min	60 min	75 min	80 min	120 min



- Laser-cut and diamond-ground blades
- Main handle + motor head tiltable by several settings
- Metal gear box

### GC-HH 18/45 Li T

**CLASSIC**

- Bar length / cutting length: 450 mm / 410 mm
- Spacing between teeth: 18 mm

Article only available without battery / charger    Art. No. 34.105.85

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	20 min	28 min	33 min	40 min	56 min	66 min	80 min	112 min

- Laser-cut and diamond-ground blades
- Motor head tiltable by multiple settings
- Swivelling main handle



<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode



More information and further articles can be found on our website

[www.einhell.de](http://www.einhell.de)

## TOP-HANDLED CORDLESS CHAINSAW 18 V

- Brushless motor – more power, prolonged operation
- Tip guard and kickback protection with instant reaction mechanical chain brake
- Perfectly suited for branch removal and tree maintenance



**NEW**



### FORTEXXA 18/20 TH

**PROFESSIONAL**

- Bar length / cutting length: 200 mm / 140 mm
- Cutting speed: 7 m/s
- Oil tank capacity: 75 ml

Article only available without battery / charger Art. No. 46.000.20

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
🔋 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
➡ <sup>2)</sup>	60 pcs	80 pcs	100 pcs	120 pcs	160 pcs	210 pcs	240 pcs	320 pcs

For best performance select a battery with at least 2.5 Ah

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. cuts through 70 x 70 mm square timber per battery charge

WARNING: This chainsaw may only be used by trained tree care workers. Misactions in compliance with safety instructions and instructions may cause serious injuries.



## CORDLESS CHAINSAW 36 V

### GE-LC 36/35 Li

**EXPERT**

- Bar length / cutting length: 350 mm / 330 mm
- Cutting speed: 15 m/s
- Oil tank capacity: 115 ml

Article only available without batteries / chargers Art. No. 45.017.80

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	120 pcs	160 pcs	200 pcs	240 pcs	320 pcs	420 pcs	480 pcs	640 pcs

For best performance select batteries with at least 3.0 Ah

<sup>1)</sup> Battery capacity (2x batteries required)

<sup>2)</sup> Max. cuts through 70 x 70 mm square timber per battery charge




## CORDLESS CHAINSAWS 18 V

### FORTEXXA 18/30

**EXPERT**

- Bar length / cutting length: 300 mm / 270 mm
- Cutting speed Eco/High: 6.0 / 8.9 m/s
- Oil tank capacity: 160 ml

Article only available without battery / charger Art. No. 46.000.10

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	53 pcs	70 pcs	88 pcs	105 pcs	140 pcs	182 pcs	210 pcs	280 pcs
 <sup>3)</sup>	59 pcs	78 pcs	98 pcs	117 pcs	156 pcs	203 pcs	234 pcs	312 pcs

For best performance select a battery with at least 4.0 Ah

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. cuts through 70 x 70 mm square timber per battery charge (High Power mode)

<sup>3)</sup> Max. cuts through 70 x 70 mm square timber per battery charge (Eco mode)

 FITTED WITH  
**OREGON**  
 CHAIN AND BAR

- Brushless motor – more power, prolonged operation
- Toolless chain tensioning and changing
- Automatic chain lubrication

 BRUSHLESS  
 ENERGY  
 Einhell

 TWIN-PACK®  
 MAX+MAX 36V  
 TECHNOLOGY

 FITTED WITH  
**OREGON**  
 CHAIN AND BAR

**NEW**

- Brushless motor – more power, prolonged operation
- Adjustable chain speed, depending on the application
- Toolless chain tensioning and changing

 BRUSHLESS  
 ENERGY  
 Einhell

## CORDLESS CHAINSAWS 18 V

### GE-LC 18/25 Li

**EXPERT**

- Bar length / cutting length: 250 mm / 230 mm
- Cutting speed: 4.5 m/s
- Oil tank capacity: 200 ml

Incl. 1 battery (18 V | 3.0 Ah | Li-Ion) and 1 charger Art. No. 45.017.60

Without battery / charger Art. No. 45.017.61

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	50 pcs	70 pcs	85 pcs	100 pcs	130 pcs	180 pcs	200 pcs	260 pcs

For best performance select a battery with at least 2.5 Ah

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. cuts through 70 x 70 mm square timber per battery charge



FITTED WITH  
**OREGON**  
CHAIN AND BAR

- Toolless chain tensioning and changing
- Automatic chain lubrication
- Sturdy stop claws made of metal

## CORDLESS CHAIN SHARPENER 18 V

### GE-CS 18 Li

**EXPERT**

- Grinding wheel diameter (inside): 23 mm
- Grinding wheel diameter (outside): 108 mm
- Grinding wheel thickness: 3.2 mm

Article only available without battery / charger Art. No. 44.999.40

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	180 min	240 min	300 min	390 min	480 min	660 min	780 min	960 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode

- Depth stop
- Scale for precise setting of the grinding angle
- Clamping device





## CORDLESS LEAF VACUUMS 36 V

### GE-CL 36/230 Li E

**EXPERT**

- Max. blow velocity: 230 km/h
- Max. suction power / max. blowing air flow: 700 / 225 m³/h
- Shredding function: 10:1
- Product weight: 3.1 kg (blow) und 4.4 kg (vacuum)

Article only available without batteries / chargers Art. No. 34.336.30




 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	10-22 min	12-28 min	14-34 min	20-45 min	24-55 min	30-75 min	35-85 min	48-110 min
 <sup>3)</sup>	4 min	5 min	7 min	11 min	13 min	17 min	20 min	26 min
 <sup>4)</sup>	11-24 min	13-29 min	16-35 min	24-50 min	27-58 min	37-79 min	43-91 min	54-116 min
 <sup>5)</sup>	6 min	7 min	8 min	13 min	15 min	20 min	23 min	30 min

### GE-CL 36 Li E

**EXPERT**

- Max. blow velocity: 210 km/h
- Max. suction power / max. blowing air flow: 720 / 195 m³/h
- Shredding function: 10:1

Article only available without batteries / chargers Art. No. 34.336.00

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	9-20 min	10-30 min	13-35 min	17-45 min	22-65 min	27-90 min	30-100 min	44-130 min
 <sup>3)</sup>	10-30 min	13-35 min	16-40 min	21-60 min	27-75 min	32-105 min	39-120 min	54-150 min

<sup>1)</sup> Battery capacity (2x batteries required)

<sup>2)</sup> Max. operating time per battery charge in idle mode (vacuuming mode) – dependent on the selected speed

<sup>3)</sup> Max. operating time per battery charge in idle mode (TURBO vacuuming mode)

<sup>4)</sup> Max. operating time per battery charge in idle mode (blowing mode) – dependent on the selected speed

<sup>5)</sup> Max. operating time per battery charge in idle mode im (TURBO blowing mode)

- Incl. one wide suction tube and one narrow blowing tube
- Turbo switch – for maximum blowing and vacuuming volume
- Toolless change between suction and blowing function

**TWIN-PACK®**  
 **36V**  
**TECHNOLOGY**



- Brushless motor – more power, prolonged operation
- Toolless change between suction and blowing function
- Electronic speed control

**BRUSHLESS ENERGY**  


**TWIN-PACK®**  
 **36V**  
**TECHNOLOGY**



More information and further articles can be found on our website

[www.einhell.de](http://www.einhell.de)

## CORDLESS LEAF BLOWER 36 V



- Brushless motor – more power, prolonged operation
- Turbo function
- Electronic speed control




### GP-LB 36/210 Li E

**PROFESSIONAL**

- Max. blow velocity: 210 km/h
- Max. blowing air flow: 816 m<sup>3</sup>/h
- Product weight: 2.5 kg (excl. batteries)

Article only available without batteries / chargers Art. No. 34.336.20

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	7-40 min	10-55 min	11-63 min	16-92 min	20-116 min	26-138 min	30-165 min	40-232 min
 <sup>3)</sup>	3 min	4 min	5 min	8 min	10 min	12 min	14 min	20 min

For best performance select batteries with at least 2.5 Ah

<sup>1)</sup> Battery capacity (2x batteries required)

<sup>2)</sup> Max. operating time per battery charge in idle mode – dependent on the selected speed

<sup>3)</sup> Max. operating time per battery charge in idle mode in TURBO mode



## CORDLESS LEAF BLOWERS 18 V

### GP-LB 18/200 Li GK

**PROFESSIONAL**

- Max. blow velocity: 200 km/h
- Max. blowing air flow: 670 m³/h
- Product weight: 2.2 kg (excl. battery)

Article only available without batteries / chargers Art. No. 34.335.50

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
2)	1-11 min	5-13 min	8-15 min	10-21 min	15-27 min	18-33 min	20-37 min	30-54 min
3)	-	-	3 min	5 min	6 min	10 min	12 min	15 min

For best performance select a battery with at least 3.0 Ah

- Brushless motor – more power, prolonged operation
- Turbo function
- Electronic speed control
- Incl. gutter cleaning set



### GP-LB 18/200 Li E

**PROFESSIONAL**

- Max. blow velocity: 200 km/h
- Max. blowing air flow: 670 m³/h
- Product weight: 2.2 kg (excl. battery)

Article only available without batteries / chargers Art. No. 34.335.55

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
2)	1-11 min	5-13 min	8-15 min	10-21 min	15-27 min	18-33 min	20-37 min	30-54 min
3)	-	-	3 min	5 min	6 min	10 min	12 min	15 min

For best performance select a battery with at least 3.0 Ah

- Brushless motor – more power, prolonged operation
- Turbo function
- Electronic speed control



<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode – dependent on the selected speed

<sup>3)</sup> Max. operating time per battery charge in idle mode in TURBO mode

## CORDLESS LEAF BLOWERS 18 V

### GC-CL 18 Li E

**CLASSIC**

- Max. blow velocity: 210 km/h
- Max. blowing air flow: 105 m³/h
- Idle speed: 1400 - 12000 min<sup>-1</sup>

Incl. 1 battery (18 V | 2.0 Ah | Li-Ion) and 1 charger Art. No. 34.335.33

Without battery / charger Art. No. 34.335.32

 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 2)	10-180 min	14-240 min	16-300 min	20-390 min	26-480 min	40-660 min	42-720 min	52-960 min



- Electronic speed control
- Soft grip
- Lightweight and handy design

## CORDLESS UNIVERSAL BLOWER 18 V

### GC-CL 18/1 Li E

**CLASSIC**

- Max. blow velocity: 210 km/h
- Max. blowing air flow: 105 m³/h
- Idle speed: 1400 - 12000 min<sup>-1</sup>

Article only available without battery / charger Art. No. 34.335.41

 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 2)	10-180 min	14-240 min	16-300 min	20-390 min	26-480 min	40-660 min	42-720 min	52-960 min

- Electronic speed control
- Lightweight and handy design
- 2-parts tube for universal operation



<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode – dependent on the selected speed

## CORDLESS PRUNING SAW 18 V

### GE-GS 18 Li

**EXPERT PLUS**

- Saw blade length: 150 mm
- Cutting capacity with / without branch handle: 70 mm / 90 mm

Article only available without battery / charger    Art. No. 34.082.20

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	70 pcs	90 pcs	115 pcs	140 pcs	180 pcs	240 pcs	280 pcs	360 pcs

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. cuts per battery charge through roundwood with a diameter of 60 mm

- KWB high quality saw blade „Made in Switzerland“
- Blade change without tools
- Long-life metal gearing





## CORDLESS PRUNING SHEARS 18 V

### GE-LS 18 Li

**EXPERT**

- Max. cutting capacity: 28 mm

Article only available without battery / charger    Art. No. 34.083.00

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	1070 pcs	1426 pcs	1783 pcs	2139 pcs	2852 pcs	3708 pcs	4278 pcs	5704 pcs

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. cuts per battery charge through round dry beech wood with a diameter of 15 mm



- High-quality bypass blades for efficient cutting work
- Belt clip for optimum carrying comfort
- Slim and ergonomic design for effortless working

## CORDLESS GRASS AND SHRUB SHEARS 18 V

### GE-CG 18/100 Li T

**EXPERT**

- Cutting width with grass shear blade: 100 mm
- Cutting length with shrub cutting blade: 200 mm
- Spacing between teeth of shrub cutting blade: 8 mm

Article only available without battery / charger Art. No. 34.103.10

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	180 min	240 min	300 min	360 min	480 min	650 min	720 min	960 min

- Blade change without tools
- Laser-cut and diamond-ground blades
- Telescopic long handle



### GE-CG 18/100 Li

**EXPERT**

- Cutting width with grass shear blade: 100 mm
- Cutting length with shrub cutting blade: 200 mm
- Spacing between teeth of shrub cutting blade: 8 mm

Article only available without battery / charger Art. No. 34.103.13

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	180 min	240 min	300 min	360 min	480 min	650 min	720 min	960 min



- Blade change without tools
- Laser-cut and diamond-ground blades
- Covered gearbox protecting customer to get in touch with gear oil

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode

## CORDLESS GRASS AND SHRUB SHEARS 18 V

### GC-CG 18 Li

**CLASSIC**

- Cutting width with grass shear blade: 100 mm
- Cutting length with shrub cutting blade: 200 mm
- Spacing between teeth of shrub cutting blade: 8 mm

Article only available without battery / charger    Art. No. 34.103.70

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	180 min	240 min	300 min	360 min	480 min	650 min	720 min	960 min

- Blade change without tools
- Laser-cut and diamond-ground blades
- Metal gear box



## CORDLESS GRASS SHEARS 18 V

### GC-CG 18/1 Li

**CLASSIC**

- Cutting width with grass shear blade: 100 mm

Article only available without battery / charger    Art. No. 34.103.82

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	180 min	240 min	300 min	360 min	480 min	650 min	720 min	960 min

- Laser-cut and diamond-ground blades
- Metal gear box
- Soft grip – perfect handling and grip



<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode

## CORDLESS PRESSURE SPRAYERS 18 V

### GE-WS 18/150 Li

**EXPERT**

- Filling capacity of the tank: 15 l
- Max. spraying pressure: 4.5 bar
- Flow rate: 102 l/h
- Pressure hose length: 140 cm

Article only available without battery / charger Art. No. 34.252.30

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	2 h	2.5 h	3.5 h	4 h	5 h	7 h	8.5 h	10 h

### GE-WS 18/75 Li

**EXPERT**

- Filling capacity of the tank: 7.5 l
- Max. spraying pressure: 2.5 bar
- Flow rate: 60 l/h
- Pressure hose length: 140 cm

Article only available without battery / charger Art. No. 34.252.20

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	5 h	6 h	7.5 h	10 h	12 h	16 h	20 h	24 h

### GE-WS 18/35 Li

**EXPERT**

- Filling capacity of the tank: 3.5 l
- Max. spraying pressure: 2.5 bar
- Flow rate: 60 l/h
- Pressure hose length: 140 cm

Article only available without battery / charger Art. No. 34.252.10

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	5 h	6 h	7.5 h	10 h	12 h	16 h	20 h	24 h



- Automatic pump, no manual pressure build-up required
- Transparent tank with scale for checking the level
- Individually adjustable brass nozzle



- Automatic pump, no manual pressure build-up required
- Transparent tank with scale for checking the level
- Individually adjustable brass nozzle

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time per battery charge in idle mode

## ACCESSORIES – BATTERY BELT

**NEW**

- Multifunctional – for 36 V and 18 V devices
- Padded carrying strap
- Large buckle for easy opening and closing

### GE-PB 36/18 Li

- Number of battery pockets: 2 pcs
- Cable length: 150 cm
- Length of hip belt: 150 cm

Article only available without battery / charger Art. No. 34.083.10

**EXPERT**




## CORDLESS GARDEN PUMP 36 V

### AQUINNA 36/30

**EXPERT**

- Max. delivery capacity / height: 3000 l/h / 26 m
- Max. suction height: 8 m
- Suction / pressure connection: 42 mm (1¼") / 33.3 mm (1")
- Incl.: suction side adapter to reduce to 33.3 mm (1") ET

Article only available without batteries / chargers Art. No. 41.804.00

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	12 min	15 min	23 min	30 min	35 min	45 min	50 min	70 min
 <sup>3)</sup>	30 min	35 min	47 min	55 min	70 min	85 min	100 min	140 min

<sup>1)</sup> Battery capacity (2x batteries required)

<sup>2)</sup> Max. running time in BOOST mode per battery charge

<sup>3)</sup> Max. running time in ECO mode per battery charge



**TWIN-PACK®**  
 **36V**  
 TECHNOLOGY

- Water filler screw
- Frost protection due to a water drain screw
- 2-step switch (ECO/BOOST mode)

## CORDLESS SUBMERSIBLE PRESSURE / RAIN BARREL PUMP 18 V

### GE-PP 18 RB Li

**EXPERT**

- Max. delivery height / pressure: 20 m / 2 bar
- Max. delivery capacity: 3000 l/h
- Max. immersion depth: 4 m

Article only available without battery / charger Art. No. 41.704.29

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	12 min	15 min	20 min	25 min	30 min	35 min	45 min	60 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode

- Mobile battery box with integrated cable storage holder
- Infinitely adjustable telescopic connection pipe
- Powerful motor – high delivery pressure

**2-IN-1**  
 SUBMERSIBLE  
 PRESSURE PUMP  
 &  
 RAIN BARREL  
 PUMP





## CORDLESS CLEAR WATER PUMPS 18 V

### GE-SP 18 Li

**EXPERT**

- Max. delivery capacity / height: 5000 l/h / 8 m
- Max. immersion depth: 4 m
- Hose connection: 33.3 mm (G1 ET)

Article only available without battery / charger     Art. No. 41.815.00

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	20 min	30 min	35 min	40 min	60 min	70 min	80 min	120 min



- Mobile battery box with integrated cable storage holder
- Practical mounting options
- Powerful motor – high flow rate

### GE-SP 18 LL Li

**EXPERT**

- Max. delivery capacity / height: 4500 l/h / 8 m
- Max. immersion depth: 4 m
- Hose connection: 33.3 mm (G1 ET)

Article only available without battery / charger     Art. No. 41.815.60

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	20 min	30 min	35 min	40 min	60 min	70 min	80 min	120 min



- Mobile battery box with integrated cable storage holder
- Practical mounting options
- Powerful motor – low level suction



<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode



More information and further articles can be found on our website

[www.einhell.de](http://www.einhell.de)



## GAS HOT AIR GENERATOR WITH RECHARGEABLE BATTERY



- No power supply necessary
- Housing made of stainless steel
- Piezo ignition

\* Article only available in Germany and Austria

### GE-HG 18/370 Niro Li

**EXPERT PLUS**

- Heating output: 37 kW
- Hot air flow: 1000 m<sup>3</sup>/h
- Max. gas consumption: 2693 g/h
- Max. operating pressure: 1.5 bar

Article only available without battery / charger Art. No. 23.308.05

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	90 min	140 min	160 min	180 min	280 min	330 min	380 min	560 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge

## EVEN MORE FREEDOM WITH POWER X-CHANGE. E-KICKSCOOTER ELMOTO KICK FROM GOVECS.

Einhell opens up its Power X-Change rechargeable battery platform! Together with E-Scooter manufacturer GOVECS, Einhell is helping to get ELMOTO KICK on the road, a road-legal E-Kickscooter with Power X-Change batteries.

With the new E-Kickscooter ELMOTO KICK from GOVECS, emissions-free scooting means you can leave your car at home or park slightly further away and simply jump on the scooter for the last mile.

### ELMOTO KICK

- Approval for road use: yes
- Battery voltage: 2x 18 = 36 V
- Top speed: 20 km/h
- Range: up to 15 km
- Brakes: 2 hydraulic disc brakes
- Size of pneumatic tyres: 10 inches
- Product weight: 15.0 kg (excl. batteries)

GOVECS

Article only available without batteries / chargers Art. No. 48.500.61

The ELMOTO KICK is available in two additional colours at [www.govecs.de](http://www.govecs.de):



- Particularly sturdy frame and large pneumatic tires with hydraulic disk brakes for superior ride comfort and highest safety
- LCD display – speed, battery status, range
- Folding handlebar with lock and carry function




## ACCESSORIES – BATTERIES



### 5-8 Ah Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 8.0 Ah (depending on the application)
- Battery power: max. 1350 W

Art. No. 45.116.00



■ With display: Accurate battery charge indication as a percentage



### 4-6 Ah Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 6.0 Ah or 4.0 Ah (depending on the application)
- Battery power: max. 1350 W

Art. No. 45.115.02

## IT'S YOUR CHOICE.



## WHAT DOES MULTI-AH MEAN?

Thanks to MULTI-Ah technology, switching over from a 5 Ah battery to a 8 Ah battery is really easy and can be done with just the push of a button. The 5 Ah battery has a 3x longer total service life and is suitable for lighter applications (e.g. cordless lamp or cordless screwdriver). The 8 Ah battery offers the maximum running time for more capacity-intensive applications (e.g. cordless lawn mower or cordless wet and dry vacuum cleaners).

5 Ah > **300%**  
+ more service life <sup>1)</sup>

8 Ah > **60%**  
+ more running time <sup>2)</sup>

<sup>1)</sup> In comparison to every standard lithium-ion battery

<sup>2)</sup> In comparison to the 5 Ah battery

## ACCESSORIES – BATTERIES



### 5.2 Ah Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 5.2 Ah
- Battery power: max. 1260 W

Art. No. 45.114.37



### 4.0 Ah Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 4.0 Ah
- Battery power: max. 900 W

Art. No. 45.115.53



### 3.0 Ah Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 3.0 Ah
- Battery power: max. 900 W

Art. No. 45.115.01



### 4.0 Ah Power X-Change Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 4.0 Ah
- Battery power: max. 900 W

Art. No. 45.113.96



### 2.5 Ah Power X-Change Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 2.5 Ah
- Battery power: max. 720 W

Art. No. 45.115.16



### 2.0 Ah Power X-Change Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 2.0 Ah
- Battery power: max. 450 W

Art. No. 45.113.95



## 4.0 Ah BATTERY – 4.0 Ah PLUS BATTERY. WHERE'S THE DIFFERENCE?

By switching to the new "21700" cell format (21 mm diameter, 70.0 mm length) our latest Power X-Change batteries have acquired the best combination of power/running time and weight.

Why? Using this cell technology it is possible to achieve the same power and running time with five cells instead of the previous ten.

**Benefits? The new batteries are 12% lighter and 13% more compact than their predecessors – at 100% power and running time.**

Results: Light-weight all-rounders for energy-intensive applications such as in cordless chainsaws.

4.0 Ah



4.0 Ah PLUS



13% more compact \*)

12% lighter \*)

100% power

\*) In comparison to the 4 Ah battery

## ACCESSORIES – TWIN PACKS



### 2x 5.2 Ah Power X-Change Twin Pack

- Items supplied: 2 batteries
- Battery voltage / capacity: 2x 18 V / 5.2 Ah
- Battery power: max. 2x 1260 W

Art. No. 45.115.26



### 2x 4.0 Ah Power X-Change Twin Pack

- Items supplied: 2 batteries
- Battery voltage / capacity: 2x 18 V / 4.0 Ah
- Battery power: max. 2x 900 W

Art. No. 45.114.89



### 2x 2.5 Ah Power X-Change Twin Pack

- Items supplied: 2 batteries
- Battery voltage / capacity: 2x 18 V / 2.5 Ah
- Battery power: max. 2x 720 W

Art. No. 45.115.24

## ACCESSORIES – STARTER KITS

TWIN-PACK<sup>®</sup>  
18V + 18V > 36V  
TECHNOLOGY



READY TO GO  
75 min



### 2x 4.0 Ah PXC Twincharger Starter Kit

- Items supplied: 2 batteries + 1 Twincharger
- Battery voltage / capacity: 2x 18 V / 2x 4.0 Ah
- Battery power: max. 2x 900 W

Art. No. 45.121.12

TWIN-PACK<sup>®</sup>  
18V + 18V > 36V  
TECHNOLOGY



READY TO GO  
60 min



### 2x 3.0 Ah PXC Twincharger Starter Kit

- Items supplied: 2 batteries + 1 Twincharger
- Battery voltage / capacity: 2x 18 V / 2x 3.0 Ah
- Battery power: max. 2x 900 W

Art. No. 45.120.83



**Ready To Go** means: The battery is ready for use. It can remain in the charger for full, low-stress charging up to 100 %.



READY TO GO  
80 min



### 5.2 Ah PXC Fastcharger Starter Kit

- Items supplied: 1 battery + 1 Power X-Fastcharger 4 A
- Battery voltage / capacity: 18 V / 5.2 Ah
- Battery power: max. 1260 W

Art. No. 45.121.14



READY TO GO  
75 min



### 4.0 Ah Power X-Change Starter Kit

- Items supplied: 1 battery + 1 Power X-Charger 3 A
- Battery voltage / capacity: 18 V / 4.0 Ah
- Battery power: max. 900 W

Art. No. 45.120.42



READY TO GO  
50 min



### 2.5 Ah Power X-Change Starter Kit

- Items supplied: 1 battery + 1 Power X-Charger 3 A
- Battery voltage / capacity: 18 V / 2.5 Ah
- Battery power: max. 720 W

Art. No. 45.120.97

## ACCESSORIES – BATTERY STORAGE

### Battery Mounting Gadget

- Items supplied: 2 battery mounting gadgets, 4 screws, 4 dowels
- Can be used for: for all Power X-Change batteries

Art. No. 45.141.55



- Endless extendable to store an unlimited amount of batteries
- Simple assembling due to tongue and groove connection
- Snap-in function for battery ensures fixation in any position



## ACCESSORIES – CHARGERS



- Multi charger for parallel charging of up to 4 batteries
- Always charge two batteries at the same time
- Carrying handle for easy transport

### 2x2 Power X-Quattro Charger 4 A

- Items supplied: 1 charger
- Can be used for: for all Power X-Change batteries
- Charging current: 4 A per slot (2x2 parallel charging)

Art. No. 45.121.02



## ACCESSORIES – CHARGERS

- Extremely fast charging time
- Integrated wall mount



### Power X-Boost Charger 6 A

- Items supplied: 1 charger
- Can be used for: for all Power X-Change batteries
- Charging current: 3 - 6 A
- Boost mode: 6 A can be selected for lightning speed

Art. No. 45.120.64

- Always charge two batteries at the same time
- Integrated wall mount



### Power X-Twincharger 3 A

- Items supplied: 1 charger
- Can be used for: for all Power X-Change batteries
- Charging current: 3 A per slot (parallel charging)

Art. No. 45.120.69

- Integrated wall mount



### Power X-Fastcharger 4 A

- Items supplied: 1 charger
- Can be used for: for all Power X-Change batteries
- Charging current: 4 A

Art. No. 45.121.03

## OUT-AND-ABOUT AND NO POWER SOCKET AVAILABLE? NO PROBLEM THANKS TO EINHELL!

- 12 V-socket enables charging the Power X-Change battery in the car
- Protection electronics for the car battery



### Power X-Car Charger 3 A

- Items supplied: 1 charger
- Can be used for: for all Power X-Change batteries
- Charging current: 3 A

Art. No. 45.121.13

## POWER X-CAR CHARGER

PROTECTION ELECTRONICS FOR THE CAR BATTERY



**1. The car battery is weak:**  
Charging stops and both indicator lights blink in alternation – the car battery is protected from further discharge.  
**In this state the car can still be started.**

**2. The car battery is empty:**  
The indicator lights go out – the car battery is protected from exhaustive discharge.

## CHARGING TIMES



	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>Power X-Charger 3 A</b>								
<b>Power X-Twincharger 3 A</b> (parallel charging of 2 batteries)	30 min	40 min	50 min	60 min	75 min	100 min	120 min	150 min
<b>Power X-Car Charger 3 A</b>								
<b>Power X-Fastcharger 4 A</b>	24 min	30 min	37 min	45 min	60 min	80 min	90 min	120 min
<b>2x2 Power X-Quattrocharger 4 A</b> (parallel charging of 2 batteries)								
<b>Power X-Boostcharger 6 A</b>	24 min	30 min	27 min	32 min	40 min	50 min	60 min	80 min

**Shorter charging time**

**-25%**

**-50%**

**THE MOST ADVANCED BATTERY SYSTEM**





**E** Einhell

Official Home & Garden Expert

**CRAZY DIY**  
**THE TINKERER**

**FRANK**  
**THE BOSS**

**OLIVER KAHN**  
**THE CLIENT**

**SKYE**  
**THE COOL**

**MIKE**  
**THE MUSCLE**



WHO IS THE E-TEAM?  
WHAT DOES THE E-TEAM DO?  
FIND ALL THE ANSWERS AT  
[WWW.EINHELL.DE](http://WWW.EINHELL.DE)

**THEIR MISSION:**  
**TO ENABLE.**

**THE** **E** **TEAM**

**POWER X-CHANGE**



# Einhell

CORDLESS EXCELLENCE.

POWER X-CHANGE

## Einhell Germany AG

Wiesenweg 22  
94405 Landau/Isar  
Germany

[info@einhell.de](mailto:info@einhell.de)  
[www.einhell.de](http://www.einhell.de)

## Einhell Service

Eschenstr. 6  
94405 Landau/Isar  
Germany

Tel. +49 (0) 9951 959 2000

[Service-DE@einhell.com](mailto:Service-DE@einhell.com)  
[www.einhell-service.de](http://www.einhell-service.de)

[einhell.de](http://einhell.de)

